



# DEFINING CROSSBOW PRECISION


# **SAFE DE-COCKING**

Unlike any other de-cocking system on the market, the patented ACUslide and patented ACUdraw De-Cock eliminate the potential of losing control of the handle while de-cocking.

# **FASTEST CROSSBOWS IN THE WORLD** Nitro 505: Fastest Crossbow in the World

NEW Flatline 460: Fastest Compact Crossbow in the World NEW Stealth 450: Our Fastest Forward Draw Crossbow





# **COMPLETE HUNTING SYSTEMS**

From shorter 16-inch arrows that complete the compact system of the NEW Flatline 460 to our NEW Sentry Bowhanger that allows you to easily hang your bow in the stand, every detail of our crossbows is an integral piece to building a system perfectly designed to bring you more success.

# **NARROW CROSSBOW PROFILES**

Our compact crossbow systems provide more shooting coverage by reducing the chance for cam/limb contact in the treestand or around blind.

# **UNMATCHED DURABILITY & SAFETY**

TenPoint is the ONLY compact crossbow manufacturer where all crossbows over \$1,000 can BOTH:

- Be left cocked all day allowing you to hunt all day
- Be de-cocked safely

# LONGEST STRING LIFE

Spend your time shooting, not changing strings and cables. Our MICRO-TRAC barrel reduces string-to-barrel contact by 50% to provide hundreds of shots more than competitor crossbows allowing you to focus on making the shot and not on whether your strings and cables will make it through the season.



Designed for the hardcore hunter who wants a micro footprint to maximize shooting opportunities, but isn't willing to sacrifice speed or accuracy, the Flatline 460 measures just 26.5-inches long and shoots a blistering 460 feet-per-second. Equipped with **NEW** Scope Struts that provide rock solid mounting for the scope, it delivers unrivaled durability and long-range accuracy.

PAGE 8

# STEALTH 450

# MORE SPEED. MORE ACCURACY. MORE MOBILITY.

Our fastest forward draw crossbow ever, the **NEW** Stealth 450 shoots a blistering 450 feet-per-second and measures a narrow 6.5-inches wide – giving you more speed and more mobility to ultimately make you a more successful hunter. The 100-yard EVO-X® Marksman™ Elite Scope paired with NEW Scope Struts maximize long-range accuracy and in-the-field durability.

PAGE 10

# VIPER 430

# FASTER. NARROWER. MORE ACCURATE.

A faster, narrower, more accurate version of the best-selling Viper S400 crossbow, the Viper 430 shoots 30 FPS faster at 430 FPS and measures almost an inch narrower at a sleek 6.5-inches wide. The combination of a NEW 100-yard scope, dual Scope Struts, and a **NEW**, longer dovetail generates maximum long-range accuracy.

PAGE 12



# SCOPE STRUTS & LONGER DOVETAIL

Featured on the Nitro 505, **NEW** Flatline 460, **NEW** Stealth 450, and **NEW** Viper 430 and designed to generate greater down-range accuracy, the dual aluminum Scope Struts increase strength and rigidity by 80% to provide rock-solid stability – ensuring the scope rail does not move if dropped during the hunt. The  ${\bf NEW}$  longer dovetail (+1.5") allows for more scope adjustments, heavier scope options, and provides the strength of a full-length rail without the added weight.



Designed to improve a shooter's accuracy and maximize precision out to 100-yards,

the variable speed scope accommodates the fastest of crossbows shooting between 380-505 FPS. The scope features an etched glass reticle and fully multi-coated optics that provide the shooter with improved image clarity and brightness, allowing for maximum long-range accuracy.

PAGE 30



NITRO 505™

# THE FASTEST CROSSBOW IN THE WORLD.





WIDTH

LENGTH

505<sub>FPS</sub> 6.5<sub>INCHES</sub> 30.5<sub>INCHES</sub>













VEIL ALPINE™ MOSS GREEN



BEST OF THE BEST



# **ULTRA-NARROW**



6.5-INCHES WIDE



ACUSLIDE (PATENTED) COCKING & **DE-COCKING SYSTEM** 

Provides silent cocking and safe de-cocking.

# 2 EVO-X MARKSMAN ELITE SCOPE

Variable speed scope maximizes accuracy out to 100-yards and built for speeds up to

## S1 TRIGGER

2-stage, zero-creep design features a roller sear system that sets the standard in highperformance crossbow accuracy.

## 4 REVERSE-DRAW DESIGN

Generates more speed with less draw weight for a smoother shot, and provides superior balance for increased accuracy.

## 5 NEW SENTRY BOWHANGER

Easily hang your bow in the stand or protect your broadhead from dirt and grit in the ground blind.





# NITRO 505™ XERO®

## SPECIAL FEATURES

1 ELEVATED CUSTOM CHEEK PIECE Provides perfect eye alignment with XERO® X1i Scope.

RANGE BUTTON

Generate exact range and aiming point with the press of a single button.

## **AVAILABLE FINISH**



VEIL ALPINE











The Garmin® XERO® X1i crossbow scope with built-in laser range finder is the first of its kind. This auto-ranging digital scope with 3.5X magnification automatically measures distance to a target with the press of a single button. Forget the days of gap shooting, precise illuminated aim points automatically adjust for both distance and brightness conditions to allow you to see your target, unobstructed by



# NITRO 505™ ORACLE X™

# **SPECIAL FEATURES**

1 ELEVATED CUSTOM CHEEK PIECE Provides perfect eye alignment with Burris® Oracle X™ Scope.

2 RANGE BUTTON

Generate exact range and aiming point with the press of a single button on scope or wireless remote.

# **AVAILABLE FINISH**



VEIL ALPINE™











# BURRIS® ORACLE X™

Built on a decade of experience with rangefinding optics, the Oracle  $X^{\text{\tiny{TM}}}$  features a built-in laser range finder that is activated via the wireless remote or the range button on the scope. At the push of a button, the Oracle  $X^{\scriptscriptstyle\mathsf{TM}}$  instantly displays the distance to your target and provides an exact aim point factoring in the angle of your shot. The aim point will remain accurate no matter where you are within the 2-7 power zoom range! The Oracle X<sup>TM</sup> is backed by Burris' "No Questions Asked" Forever Warranty.



NEW FLATLINE 460™

# THE FASTEST COMPACT CROSSBOW EVER.





SPEED

WIDTH

LENGTH

7.5 inches 26.5 inches







# **AVAILABLE FINISH**



VEIL ALPINE™



# **16-INCH ARROW**

Ensures compact footprint in the quiver and no overhang on the crossbow, while providing a flatter trajectory and reduced wind drift at longer ranges as compared to a 20-inch arrow.



# 7.5-INCHES WIDE



Increase strength by 80% - providing rock-solid foundation for optics to deliver long-range accuracy and "bulletproof" in-the-field durability.

## 2 EVO-X MARKSMAN ELITE SCOPE

Variable speed scope maximizes accuracy out to 100-yards and built for speeds up to 505 FPS.

## S1 TRIGGER

2-stage, zero-creep design features a roller sear system that sets the standard in highperformance crossbow accuracy.

# 4 REVERSE-DRAW DESIGN

ACUSLIDE (PATENTED) COCKING & DE-COCKING SYSTEM

Provides silent cocking and

safe de-cocking.

Generates more speed with less draw weight for a smoother shot, and provides superior balance for increased accuracy.

# 5 NEW SENTRY BOWHANGER

Easily hang your bow in the stand or protect your broadhead from dirt and grit in the ground blind.



MICRO-FOOTPRINT

26.5-INCHES

# **EXTEND YOUR EFFECTIVE RANGE** WITH A RANGEFINDING SCOPE











# BURRIS® ORACLE X™

Built on a decade of experience with rangefinding optics, the Oracle  $X^{\text{\tiny{TM}}}$  features a built-in laser range finder that is activated via the wireless remote or the range button on the scope. At the push of a button, the Oracle X™ instantly displays the distance to your target and provides an exact aim point factoring in the angle of your shot. The aim point will remain accurate no matter where you are within the 2-7 power zoom range! The Oracle X<sup>™</sup> is backed by Burris' "No Questions Asked" Forever Warranty.





# **EXTEND YOUR EFFECTIVE RANGE** WITH A RANGEFINDING SCOPE






NEW STEALTH 450™ ORACLE X™









# BURRIS® ORACLE X™

Built on a decade of experience with range finding optics, the Oracle  $X^{\scriptscriptstyle\mathsf{TM}}$  features a built-in laser range finder that is activated via the wireless remote or the range button on the scope. At the push of a button, the Oracle X™ instantly displays the distance to your target and provides an exact aim point factoring in the angle of your shot. The aim point will remain accurate no matter where you are within the 2-7 power zoom range! The Oracle X<sup>™</sup> is backed by Burris' "No Questions Asked" Forever Warranty.





SIEGE RS410™

# COMPACT SPEED NEVER FELT SO COMFORTABLE





WIDTH

LENGTH 7.5 INCHES 26.5 INCHES



# **AVAILABLE FINISHES**





VEIL ALPINE™ GRAPHITE



# **16-INCH ARROW**

Ensures compact footprint in the quiver and no overhang on the crossbow, while providing a flatter trajectory and reduced wind drift at longer ranges as compared to a 20-inch arrow.



# ACUSLIDE (PATENTED) COCKING & DE-COCKING SYSTEM Provides silent cocking and

safe de-cocking.

### RANGEMASTER® PRO SCOPE

Featuring multi-coated glass for optimal light gathering, the variable speed scope includes lighted aiming points for precision down-range accuracy.

## S1 TRIGGER

2-stage, zero-creep design features a roller sear system that sets the standard in highperformance crossbow accuracy.

# 4 REVERSE-DRAW DESIGN

Generates more speed with less draw weight for a smoother shot, and provides superior balance for increased accuracy.

# 5 NEW SENTRY BOWHANGER

Easily hang your bow in the stand or protect your broadhead from dirt and grit in the ground blind.



MICRO-FOOTPRINT

26.5-INCHES



NEW VIPER 430™

# SUPERCHARGED BEST-SELLER WITH 100-YARD ACCURACY





SPEED

WIDTH

LENGTH

6.5 INCHES 33.0 INCHES









MOSS GREEN







## NEW SCOPE STRUTS

Increase strength by 80% - providing a rock-solid foundation for optics to deliver long-range accuracy and "bulletproof" in-the-field durability.

### ACUSLIDE (PATENTED) **COCKING &** DE-COCKING SYSTEM Provides silent cocking and safe de-cocking.

# NEW RANGEMASTER 100 SCOPE Offering aim points out to

100-yards, this variable speed scope accommodates crossbows shooting up to 505 FPS.

# S1 TRIGGER


2-stage, zero-creep design features a roller sear system that sets the standard in highperformance crossbow accuracy.

### MICRO-TRAC BARREL

Reduces string-to-barrel contact by 50% to provide longest string life in the industry – surpassing "rail-less" crossbows by hundreds

### 5 NEW SENTRY BOWHANGER

Easily hang your bow in the stand or protect your broadhead from dirt and grit in the ground blind.





TURBO S1™







SPEED

WIDTH

LENGTH 7.2 INCHES 31.0 INCHES







TENPOINT'S SHORTEST FORWARD DRAW






2 RANGEMASTER PRO SCOPE

Featuring multi-coated glass for optimal light gathering, the variable speed scope includes lighted aiming points for precision down-range accuracy.

S1 TRIGGER 2-stage, zero-creep design features a roller sear system that sets the standard in highperformance crossbow accuracy 4 MICRO-TRAC BARREL Reduces string-to-barrel contact

by 50% to provide longest string life in the industry – surpassing "rail-less" crossbows by hundreds of shots. NEW SENTRY BOWHANGER Easily hang your bow in the stand.





TITAN™ DE-COCK









WIDTH

LENGTH

9.0 INCHES 32.5 INCHES









# **AVAILABLE WITH:**

**ACUDRAW 50 DE-COCK** 



ACUDRAW DE-COCK OR





# Silently cock the

crossbow with an easy 5-pounds of force.



# Simple Operation

If you don't take a shot, simply push the de-cock button on the trigger box.



You can remove your hand from the handle at any point and it will stop in place (ACUdraw De-Cock model only).

## PRO-VIEW LIGHTED SCOPE

This lightweight 8.5-inch aluminum tube scope features 3 crosshairs and four dots calibrated for 20-, 30-, 40-, and 50-yards and fully-coated 3x optics.

### 2 ACUDRAW DE-COCK (PATENTED) OR ACUDRAW 50 DE-COCK (PATENTED)

Provides silent cocking and safe de-cocking.

# 3 D1 TRIGGER (PATENTED)

2-stage, zero-creep design featuring a DFP™ (Dry-Fire-Prohibitor) that delivers a consistent crisp, 3.5-pound pull.



9.0-INCHES WIDE



TITAN M1™

# **TENPOINT'S ALL-TIME BEST-SELLING CROSSBOW**







SPEED

WIDTH

LENGTH

9.0 INCHES 32.5 INCHES



# SPECIFICATIONS

















	157	NEW	NEW	V382V	NEW	30	W	T
	NITRO 505 SAFE DE-COCKING	FLATLINE 460 SAFE DE-COCKING	STEALTH 450 SAFE DE-COCKING	SIEGE RS410 SAFE DE-COCKING	VIPER 430 SAFE DE-COCKING	TURBO S1 SAFE DE-COCKING	TITAN DE-COCK SAFE DE-COCKING	TITAN M1
LENGTH (without foot stirrup)	30.5"	26.5"	33"	26.5"	33"	31"	32.5"	32.5"
WIDTH - AXLE-TO-AXLE (uncocked / cocked)	12" / 6.5"	12" / 7.5"	11" / 6.5"	12" / 7.5"	11" / 6.5"	11" / 7.2"	14" / 9"	14" / 9"
POWER STROKE	17"	13.5"	13"	13.5"	13"	11"	14"	14"
DRAW WEIGHT	300	300	300	220	250	220	190	180
WEIGHT (without accessories)	7.9 lbs. (w/ACUslide)	7.5 lbs. (w/ACUslide)	7.5 lbs. (w/ACUslide)	7.5 lbs. (w/ACUslide)	7.5 lbs. (w/ACUslide)	7.3 lbs. (w/ACUslide)	6.4 lbs.	6.4 lbs.
PERFORMANCE (FEET-PER-SECOND / FOOT-POUNDS KE)								
PRO LITE ARROW (370-grains)	N/A	N/A	N/A	N/A	N/A	N/A	380 / 119	370 / 113
PRO ELITE 400 ARROW (400-grains)	505 / 227	N/A	450 / 180 (Supplied arrow speed / KE)	N/A	430 / 164 (Supplied arrow speed / KE)	390 / 135 (Supplied arrow speed / KE)	370 / 122 (Supplied arrow speed / KE)	360 / 115 (Supplied arrow speed / KE)
EVO-X CENTERPUNCH 16 ARROW (400-grains)	N/A	460 / 188 (Supplied arrow speed / KE)	N/A	410 / 149 (Supplied arrow speed / KE)	N/A	N/A	N/A	N/A
EVO-X CENTERPUNCH ARROW (465-grains)	485 / 243 (Supplied arrow speed / KE)	N/A	430 / 191	N/A	410 / 174	370 / 141	350 / 127	340 / 119
ACCESSURIES (Included with package)	XERO & ORACLE X PACKAGES: Quiver 6 EVO-X Arrows  EVO-X MARKSMAN PACKAGES: Quiver 6 EVO-X Arrows	ORACLE X PACKAGE: Quiver 6 EVO-X 16 Arrows  EVO-X MARKSMAN PACKAGE: Quiver 6 EVO-X 16 Arrows Bubble Level	ORACLE X PACKAGE: Quiver 3 Pro Elite 400 Arrows  EVO-X MARKSMAN PACKAGE: Quiver 3 Pro Elite 400 Arrows Bubble Level	Quiver 6 EVO-X 16 Arrows	Quiver 3 Pro Elite 400 Arrows	Quiver 3 Pro Elite 400 Arrows	Quiver 3 Pro Elite 400 Arrows	Quiver 3 Pro Elite 400 Arrows
PACKAGE NUMBERS	ACUslide & Garmin XERO® X1i Scope: CB22005-6179 ACUslide & Burris® Oracle X™ Scope: CB22005-6169 ACUslide & EVO-X Marksman Elite Scope: Veil Alpine™: CB22005-6189 Moss Green: CB22005-1199	ACUslide & Burris® Oracle X™ Scope: CB23008-6869  ACUslide & EVO-X Marksman Elite Scope: CB23008-6889	ACUslide & Burris® Oracle X™ Scope: CB23019-6869 ACUslide & EVO-X Marksman Elite Scope: CB23019-6889	ACUslide & RangeMaster Pro Scope:  Veil Alpine™: CB21012-6819  Graphite: CB21012-1819	ACUslide & RangeMaster 100 Scope:  Vektra: CB23015-7549  Moss Green: CB23015-1549	ACUslide & RangeMaster Pro Scope:  Vektra: CB22020-7519  Moss Green: CB22020-1519	ACUdraw De-Cock & Pro-View Scope: CB22047-7528  ACUdraw 50 De-Cock & Pro-View Scope: CB22047-7527	ACUdraw & Pro-View Scope: CB19047-3522 Rope-Sled & Pro-View Scope: CB19047-3524



# WHY BUY WICKED RIDGE.

# **DE-COCKING STARTING AT \$749.99**



# **Silent Cocking**

Silently cock the crossbow with an easy 5-pounds of force using the ACUdraw De-Cock, or manually cock the crossbow with the Rope-Sled.

# **Simple Operation**

If you don't take a shot, simply push the de-cock button on the trigger box.

# Safe De-Cocking

With the patented ACUdraw De-Cock, you can remove your hand from the handle at any point and it will stop in place. Or, manually de-cock the crossbow with the Rope-Sled.

# **BUILT-IN COCKING DEVICES**

There's a difference between using a bulky, clamp-on "crank" to cock your crossbow and using a built-in cocking device. Wicked Ridge cocking devices are built-in so you never have to worry about losing or forgetting your cocking device.



# TACTICAL STOCK

**NEW** AR-style adjustable butt stock adds a new level of versatility to the Wicked Ridge lineup and dramatically reduces the overall weight of the crossbow for easy-handling.



FURY 410™ DE-COCK

# \$2,000 WORTH OF FEATURES FOR HALF THE PRICE





SPEED

WIDTH

9.0 INCHES 29.0 INCHES

LENGTH

FACTORY PRE-SIGHTED







PEAK XT<sup>T</sup>



**ULTRA-COMPACT** 








Silent Cocking Silently cock the crossbow with an easy 5-pounds of force.

Simple Operation If you don't take a shot, simply push the de-cock button on the trigger box. and it will stop in place.

Safe De-Cocking You can remove your hand

from the handle at any point



Featuring multi-coated glass for optimal light gathering, the variable speed scope includes lighted aiming points for precision down-range accuracy.

2 ACUDRAW DE-COCK (PATENTED) Provides silent cocking and safe de-cocking.

# D1 TRIGGER (PATENTED)

2-stage, zero-creep design featuring a DFP<sup>TM</sup> (Dry-Fire-Prohibitor) that delivers a consistent crisp, 3.5-pound pull.



LABLE AS COMPLETE PACKAGE SEE PAGE 25



NEW RAIDER 400™ DE-COCK

# DE-COCKING STARTING AT \$749.99







WEIGHT POUNDS \* with **NEW** Tactical Stock.

LENGTH





AVAILABLE FINISH



PEAK XT

PRO-VIEW LIGHTED SCOPE

3x scope includes lighted colored dots (red and green).

NEW TACTICAL STOCK (WITH OPTIONAL ROPE-SLED) Locks in six positions and allows for up to 2.5-inches of extra adjustability in five different ½-inch increments.

D1 TRIGGER (PATENTED) 2-stage, zero-creep design featuring a DFP™ (Dry-Fire-Prohibitor) that delivers a consistent crisp, 3.5-pound pull.

4 ACUDRAW DE-COCK DEVICE (OPTIONAL) Provides silent cocking and safe de-cocking.





**Silent Cocking** 

Silently cock the crossbow with an easy 5-pounds of force.



# Simple Operation

If you don't take a shot, simply push the de-cock button on the trigger box.



# Safe De-Cocking

You can remove your hand from the handle at any point and it will stop in place.



MANUALLY DE-COCK

AVAILABLE AS COMPLETE PACKAGE SEE PAGE 25

WITH ROPE-SLED



# RDX 400™

The working man's reverse-draw crossbow, the RDX 400 features a perfectly balanced reverse-draw bow assembly and our Reaper Cam System™ that together deliver consistent down-range accuracy and lighting speeds up to 400 FPS. Focused on speed-to-price ratio, the RDX 400 includes a complete package with an ACUdraw PRO cocking device and Integrated String Stop System.

# SPEED

# WIDTH

# WEIGHT







PEAK™

MOSSY DAK BREAK-UP COUNTRY®







FACTORY SHIPS FULLY ASSEMBLED

# M-370<sup>™</sup>

The M-370 measures an incredibly narrow 9.5-inches wide and shoots up to a blazing 370 feet-per-second. Available with a built-in ACUdraw cocking device for effortless cocking.

# SPEED

# WIDTH

# WEIGHT

5.8 POUNDS









# INVADER 400™

The best-selling Wicked Ridge model, the Invader 400 registers 400 FPS – an incredible 40 feet-per-second faster than its predecessor. Proudly built in America, it features a lighted scope and a built-in cocking device for effortless cocking.

SPEED

WIDTH

WEIGHT



















# NEW BLACKHAWK XT™

Forget the days of a ruined hunt because you forgot your cocking rope or cranking device, the Wicked Ridge Advantage is that on the Blackhawk XT, your cocking device is built into the bow. The ACUdraw crank cocking device allows you to effortlessly cock the crossbow with just 5-pounds of force, while the ACUdraw 50 reduces the draw weight by 50%.

# SPEED

WIDTH

WEIGHT



AVAILABLE FINISH

BLACK / PEAK™

AVAILABLE FINISH

PEAK™







15.0-INCHES WIDE



















	FURY 410 SAFE DE-COCKING	RDX 400	RAIDER 400 SAFE DE-COCKING	M-370	INVADER 400	RAMPAGE XS	NEW BLACKHAWK XT
LENGTH (without foot stirrup)	29"	32.25"	31.5"	34.5"	34.5"	31.5"	34.5"
WIDTH - AXLE-TO-AXLE (uncocked / cocked)	15" / 9"	15" / 9"	19" / 15"	14" / 9.5"	19" / 15"	19" / 15"	19" / 15"
POWER STROKE	15.5"	15.5"	13.5"	13.8"	13.5"	13.5"	13.5"
DRAW WEIGHT	200	175	185	180	185	175	175
WEIGHT (without accessories)	7.5 lbs.	7.6 lbs.	5.8 lbs.	5.8 lbs.	6.0 lbs.	5.8 lbs.	6.0 lbs.
PERFORMANCE (FEET-PER-SECOND / FOOT-POUNDS KE)							
PRO LITE ARROW (370-grains)	410 / 138	400 / 132	400 / 132	370 / 113	400 / 132	390 / 125	380 / 119
WR MATCH 400 CARBON (400-grains)	400 / 142 (Supplied arrow speed / KE)	390 / 135 (Supplied arrow speed / KE)	390 / 135 (Supplied arrow speed / KE)	360 / 115 (Supplied arrow speed / KE)	390 / 135 (Supplied arrow speed / KE)	380 / 128 (Supplied arrow speed / KE)	370 / 122 (Supplied arrow speed / KE)
ACCESSORIES (Included with package)	Quiver 3 Match 400 Arrows	Quiver 3 Match 400 Arrows	Quiver 3 Match 400 Arrows	Quiver 3 Match 400 Arrows	Quiver 3 Match 400 Arrows	Quiver 3 Match 400 Arrows	Quiver 3 Match 400 Arrows
PACKAGE NUMBERS	ACUdraw De-Cock & Pro-View Scope: WR22060-4518	ACUdraw PRO & Multi-Line Scope: WR19060-5532	ACUdraw De-Cock & Pro-View Scope: WR23005-4528 Rope-Sled De-Cock & Pro-View Scope: WR23005-4525	ACUdraw & Mulfi-Line Scope: WR20003-9532	ACUdraw & Pro-View Scope: WR20005-9522 ACUdraw 50 & Pro-View Scope: WR20005-9521	ACUdraw & Pro-View Scope: WR23015-4522 Rope-Sled & Pro-View Scope: WR23015-4525	ACUdraw & Multi-Line Scope: WR23020-1532 ACUdraw 50 & Multi-Line Scope: WR23020-1531

# **REVOLUTIONARY ALPHA-NOCK HP & ALPHA-BLAZE LIGHTED NOCK**

# **DESIGNED FOR INCREASED** STRING-TO-NOCK ENGAGEMENT AND SAME HOLE DOWN-RANGE ACCURACY.

TenPoint's Alpha-Nock HP features a deep bowstring groove, a large smooth radius base, and elongated ears. The string on TenPoint's extremely narrow crossbows wraps tightly around the center of the Alpha-Nock HP resulting in straight nock travel and precision down-range accuracy, while minimizing string serving wear.

The Alpha-Nock HP's deep channel design increases the string-to-nock engagement by 28% and "holds" the bowstring in place during the shot which prevents "shoot-over" or "shoot-under".





Increased String-to-Nock Engagement HP Aluminum Bushing for Increased Strength & Accuracy

# **LIGHTED NOCK**

# **ALPHA-BLAZE LIGHTED NOCK**

The Alpha-Blaze Lighted Nock contains a one-piece Nock/LED unit that is indexed with the vanes and press fits into the arrow's Aluminum Bushing. Upon firing the crossbow, the bow string pushes the nock fully into the bushing and activates the LED light.


Deactivate the easy on/off Alpha-Blaze lighted nock by pulling the nock straight out until the light turns off. The LED light of the Alpha-Blaze system lasts for approximately 24 hours when activated.

The system features TenPoint's NEW Alpha-Nock HP that is equipped with an HP Aluminum Bushing for increased strength and accuracy.

BE SURE THE ALPHA-NOCK'S RAISED LINE INDEXING FEATURE IS PROPERLY ALIGNED WITH THE ODD COLORED VANE ON YOUR ARROW (AS SHOWN ABOVE).

\* All TenPoint and Wicked Ridge crossbows require the use of an Alpha-Nock Arrow. Failure to do so will void the manufacturer's warranty.

HEA-379.3 3-pack Alpha-Blaze Lighted Nock for HP Bushing – Green







## TENPOINT EVO-X CENTERPUNCH LIGHTED & NON-LIGHTED CARBON ARROWS

20-INCH / 465-GRAINS / BALANCED AT 15% FOC / .001" STRAIGHTNES

The most accurate crossbow arrow ever, the CenterPunch 20-inch arrow is fletched slightly offset and is fitted with a 84-grain insert and TenPoint's Alpha Nock HP Nock and Alpha Nock HP Nock Bushing. Constructed from modulus carbon fiber at 33 MSI (million-pounds-per-square-inch) and wrapped in an exclusive LAZER-TECH carbon weave, it is fletched with 3.5" Bohning X Vanes™. CenterPunch arrows are inspected for straightness to within .001 and each package is weightgrain matched within 1-grain per arrow.

6-pack (w/Alpha-Nock HP) 3-pack (w/Alpha-Blaze lighted nocks) HEA-749.3 \*All 3- and 6-packs come with 100-grain field points




# TENPOINT EVO-X CENTERPUNCH 16 LIGHTED & NON-LIGHTED CARBON ARROWS

16-INCH / 400-GRAINS / BALANCED AT 17.5% FOC / .001" STRAIGHTNESS

Specifically designed for the Havoc RS440 and the Siege RS410, the CenterPunch 16-inch arrow is fletched slightly offset and is fitted with a 84-grain insert and TenPoint's Alpha Nock HP Nock and Alpha Nock HP Nock Bushing. Constructed from modulus carbon fiber at 33 MSI (million-pounds-per-square-inch) and wrapped in an exclusive LAZER-TECH carbon weave, it is fletched with 2.1" Q2i Fusion-II Vanes. CenterPunch arrows are inspected for straightness to within .001 and each package is weight-grain matched within 1-arain per arrow.

HEA-750.6 6-pack (w/Alpha-Nock HP) HFA-759 3 3-pack (w/Alpha-Blaze lighted nocks) \*All 3- and 6-packs come with 100-grain field points





## TENPOINT PRO ELITE 400 LIGHTED & NON-LIGHTED CARBON ARROWS

20-INCH / 400-GRAINS / BALANCED AT 13% FOC / .003" STRAIGHTNES

The Pro Elite 20-inch carbon arrow is fletched slightly offset and is fitted with a 46-grain aluminum insert, Q2i Fusion X-II 3.0 Vanes, and TenPoint's Alpha Nock HP Nock and Alpha Nock HP Nock Bushing. Pro Elite shafts are inspected for straightness to within .003" and hand-sorted for weight tolerance to within 2-grains per dozen.

Note: Alpha-Brite lighted arrows come with original Alpha-Nocks

HEA-660.3 3-pack (w/Alpha-Nock HP) 6-pack (w/Alpha-Nock HP) HEA-660.6 HEA-669.3 3-pack (w/Alpha-Blaze lighted nocks) \*All 3- and 6-packs come with 100-grain field points





# **WICKED RIDGE MATCH 400 LIGHTED & NON-LIGHTED CARBON ARROWS**

20-INCH / 400-GRAINS / BALANCED AT 13% FOC / .004" STRAIGHTNESS

The Match 400 20-inch carbon arrow is fletched slightly offset and is fitted with a 60-grain aluminum insert, Q2i Fusion X-II 3.0 Vanes, and TenPoint's Alpha Nock HP Nock and Alpha Nock HP Nock Bushing. Match 400 shafts are inspected for straightness to within .004" and hand-sorted for weight tolerance to within 2-grains per dozen.

Note: Alpha-Brite lighted arrows come with original Alpha-Nocks.

HEA-760.3 3-pack (w/Alpha-Nock HP) HEA-760.6 6-pack (w/Alpha-Nock HP) HEA-769.3 3-pack (w/Alpha-Blaze lighted nocks) \*All 3- and 6-packs come with 100-grain field points



# XX75 WICKED RIDGE LIGHTED & NON-LIGHTED ALUMINUM ARROWS

20-INCH / 460-GRAINS / BALANCED AT 10% FOC / .003" STRAIGHTNESS

The XX75 20-inch 2219 aluminum arrow is fletched slightly offset and is fitted with a 13-grain carbon insert, 3.5" Bohning X Vanes™, and TenPoint's Alpha-Nock and Alpha-Nock HP Nock Bushing. Note: Alpha-Brite lighted arrows come with original Alpha-Nocks

HEA-060.3 3-pack (w/Alpha-Nock HP) HEA-NEN E 6-pack (w/Alpha-Nock HP) 3-pack (w/Alpha-Brite lighted nocks) HEA-068.3 \*All 3- and 6-packs come with 100-grain field points





# **CROSSBOW DISCHARGE ARROW**

The Crossbow Discharge Arrow includes a 20-inch carbon arrow with installed Alpha Nock HP Nock, Alpha Nock HP Nock Bushing, discharge collar, and field tip. The 650-grain finished arrow with an Alpha-Nock HP Nock, is designed for use on most crossbows that shoot a 20-inch arrow. It can also be used on most crossbows requiring flat, moon, or capture nocks.

HEA-00018 Crossbow Discharge Arrow

# BROADHEADS

## **TENPOINT EVO-X CENTERPUNCH**

### **EXPANDABLE BROADHEAD**

Designed for strength, the 100-grain, regrdeploying EVO-X CenterPunch Broadhead features a collarless design that delivers field point accuracy and a devastating 1 7/8" cut. Its 7075 T6 aluminum ferrule, ultrastrong precision point, and scalpel sharp blades stay closed during flight creating massive wound channels and leaving huge blood trails.

HEA-800.3 CenterPunch Broadhead (3-pack)

# **TENPOINT EVO-X MONTEC**

### FIXED BROADHEAD

Built exclusively for TenPoint by G5, this onepiece, 100-grain broadhead is designed for maximum strength and pin-point accuracy, and features a three-blade, cut-on-contact design with a devastating 1 1/8" cut.

HEA-801.3 Montec Broadhead (3-pack)



**WICKED RIDGE IMPACT** 

### **EXPANDABLE BROADHEAD**

Designed for precision, durability, and performance at a great value, the 100-grain, 2-blade, rear-deploying Impact broadhead features a steel construction and a simple. collarless design that delivers field point accuracy and a devastating 2" cut. Its stainless-steel ferrule and ultra-strong bonecrushing tip deliver massive wound channels and huge blood trails, while its floating blade design ensures the blades do not open in-flight.

HEA-803.3 Impact Broadhead (3-pack)

# **CROSSBOW CASES**

## **HALO BOWPACK**

THE INDUSTRY'S FIRST CROSSBOW BACKPACK-PERFECT FOR YOUR TREK THRU THE WOODS.



Two elastic side pockets for storing wate

Molle straps on the exterior pockets allow you to attach additional accessories



back support and includes a pocketed waist strap and sternum strap for ultimate carrying comfort.


Four external zippered pockets for storage of calls, rangefinder, extra clothing, cellphone, etc.

HCA-20120

HALO Bowpack - Custom Designed for TenPoint's Havoc RS440, Siege RS410, and Flatline 460 DIMENSIONS: Pack Length: 30" | Pack Width 15.5" | Pack Depth 11"

# WICKED RIDGE AMBUSH CROSSBOW BOWPACK

THE INDUSTRY'S MOST AFFORDABLE BOWPACK DESIGNED FOR WICKED RIDGE CROSSBOWS.



Two elastic side pockets for storing water bottles or a quiver with arrows



Two external zippered pockets for storage of calls, ranaefinder, extra clothing, cellphone, etc

HCA-20318

AMBUSH Bowpack - Custom Designed for most 2019 Wicked Ridge Models 33" long or shorter DIMENSIONS: Pack Lenath: 33" | Pack Width 19" | Pack Depth 11"

# **SEMI-RIGID CASE**

Designed for maximum protection and durability, these riaid, water-resistant cases feature an extremely durable shell, as well as a velvet interior for added protection. The interior of the case includes two hook and loop straps to secure the crossbow during travel, and storage for a guiver that also includes straps. If used with TSA approved locks, the case is TSA compliant.



TenPoint STAG Case / Black / Fits all of TenPoint's 2019 and newer crossbow line-up (except models with Rangefinding scopes)

**DIMENSIONS:** Case Length: 36.75" (not including foot stirrup pass-thru) / Case Width: 18" / Case Depth: 10.75" / Interior Length: 36.25" / Interior Width: 17.5" / Interior

# **SOFT CASES**

WRASSU

These ultra-durable soft cases ensure protection needed for travel and/or storage of your crossbow. They contain deep, sturdy side panels to accommodate mounted optics, adjustable carry strap(s), and zippered compartment(s) for accessories.





Narrow Soft Case / Black / Fits all of TenPoint's 2019 and newer crossbow line-up HCA-20119

DIMENSIONS: Case Length: 40.5" / Case Width: 18.5" / Case Depth: 10.75"

Wicked Ridge Soft Crossbow Case / Black / Fits 2018 and newer Wicked Ridge crossbows (except Ranger and Lady Ranger models) DIMENSIONS: Case Length: 38" / Case Width: 22.5" / Case Depth: 10.75"

# CROSSBOW ACCESSORIES

### NEOPRENE SLINGS

Featuring an extra-strong 1.25-inch wide shoulder strap, thumb loop, and a non-slip design. Equipped with custom swivels and heavy-duty adjustable strap.

HCA-NN4 TenPoint WRA004 Wicked Ridge



# STEDDYEDDY® (PATENTED)

The SteddyEddy telescoping two-section monopod ensures motion-free shooting while seated or standing. It attaches directly to your crossbow using a 360-degree maneuverable rapid-pivot tube equipped with a snap-on connection and clamps under your stock when not in use.

SteddyEddy Crossbow Monopod System (compatible with TenPoint and HCA-030 Wicked Ridge crossbows)

# **6-ARROW TECH OUIVER**

The compact Tech quiver contains a rigid ultra-durable spine and is designed for easy ambidextrous mounting. It's grippers hold up to four arrows with broadheads and/or field points on the front of the quiver, and two additional arrows with field points can be stored on the back of the quiver for a total of up to six arrows. Mounting hardware is included.

NEW BEDNAR PERFECT PULLER® 2.0 (PATENTED) Named for and originally designed by the late Hall of Fame Archer Bill Bednar, the Bednar Perfect Puller 2.0 doubles up as an easy-to-use arrow puller and Alpha-Blaze Lighted Nock

Deactivator. Includes three interchangeable grippers sized to fit

different shaft diameters of both crossbow and compound arrows.

HCA-01920 6-Arrow Tech Quiver



# REPLACEMENT CRANK HANDLES



Crank Handle (Compatible with ACUdraw and ACUdraw PRO)

HCA-146

**LUBRICANTS** 

HCA-10423 Bednar Perfect Puller (with interchangeable grippers)



# **SILENCERS**

# NOISE DAMPENING PACKAGE

Private labeled exclusively for TenPoint by Bowjax, Inc. the Noise Dampening package progressively reduces decibel level and shortens noise duration when used on compound crossbows

and/or vertical bows.

Universal Limb and Foot Stirrup Silencing Package (Includes limb & foot stirrup dampeners only, for most compound crossbows and/or vertical bows).

# STRING DAMPENING SYSTEMS (SDS)

Featuring micro-adjustable dampening rods with durable, high impact rubber dampeners the SDS mounts in the cable slot to dramatically reduce string noise and oscillation. Compatible with most post-1999 TenPoint Crossbow Technologies thumbhole models except the GT Curve™. Not compatible with RDX or NXT crossbows, RCX crossbows with built-in dampeners, ACUslide crossbows, or Fury 410

SDS (String Dampening System) A second set of SDS rods are included to alleviate the need for shortening rods HCA-148 Compatible with Turbo M1, Titan M1, Titan De-Cock, and M-370 crossbows.

Wicked Ridge SDS (String Dampening System)

Compatible only with the Invader 400, Invader X4, Rampage 360, Blackhawk 360, Warrior Ultra-Lite, Ranger X2, Raider 400 De-Cock, Rampage XS, and Blackhawk XT.



HCV-1/18



HCA-146

# MAINTENANCE

# **TENPOINT STRING WAX AND CONDITIONER**

Made from all-natural compounds. Comes in a convenient chap-stick style tube. Lubricates and rejuvenates bow strings and cables.



Recommended for strings, cables, cocking device cords, and barrel. Both feature Scorpion Venom™ Premium Lubricant.

Unlike other manufacturers' gel-based lubricants, will

not gum-up in cold weather or collect dirt and grime.

HCA-111 Flight Rail and Trigger Lube (tube) HCA-112 Premium Lubricant with Foam Applicator (bottle)



HCA-13718

# SCOPES

# EVO-X<sup>®</sup> MARKSMAN™ ELITE SCOPE

### RETICI F: 20-100-YARDS

The brightest and most accurate variable speed crossbow scope on the market, this scope features a variable speed and arrow drop-compensation setting for crossbows that shoot between 300 and 500 FPS. Its innovative configuration, consisting of three illuminated (red or green) duplex crosshairs calibrated at 20-, 40-, and 60-yards, two illuminated (red or green) dots at 30- and 50-yards, and four non-illuminated chevrons at 70-, 80-, 90-, and 100-yards, presents the shooter with a simplified aiming system. Offered in black or Veil Alpine camo, the scope's 30mm aluminum tube is equipped with an etched glass reticle and fully multi-coated 2-8x optics that increase field-of-view and brightness in low light settings. External, micro-adjustable target turrets provide easy adjustment to windage and elevation for unmatched long-range accuracy.



HCA-095.2VA EVO-X Marksman Elite Scope with flip-up scope caps - Veil Alpine™

HCA-095.2 EVO-X Marksman Elite Scope with flip-up scope caps – Black

## **NEW RANGEMASTER® 100 SCOPE**

### RETICLE: 20-100-YARDS

This waterproof and fog-proof scope features a variable speed and drop-compensation setting for crossbows that shoot between 380 and 505 FPS. The configuration consists of nine aiming points in 10-yard increments - three illuminated dots calibrated at 20-, 30-, and 40-yards, three illuminated crosshairs at 50-, 60-, and 70-yards, and three illuminated chevrons at 80-, 90-, and 100-yards. An infinite-position rheostat controls the light intensity of the red or green illuminated dots/crosshairs/chevrons. The scope's 30mm aluminum tube is equipped with an etched glass reticle and fully multi-coated 2-7x optics (scope magnification dictated by arrow speed) that increase field-of-view and brightness in low light settings.



HCA-09812 RangeMaster 100 Scope with flip-up scope caps

# PRO-VIEW™ SCOPE

HCA-097-II Pro-View Scope

## RETICLE: 20-60-YARDS

This lightweight 8.5-inch aluminum tube scope features 3 crosshairs and four dots calibrated for 20-, 30-, 40-, and 50-yards (fourth dot is free-standing, just below the 40-yard crosshair) and fully-coated 3x optics. Available with non-illuminated black dots or one of two rheostat controlled illuminated, colored dots (red or green).



**MULTI-LINE SCOPE** 

# RETICI F: 20-50-YARDS

Only 8.5-inches long, this compact scope features fully-coated 3x optics and three duplex crosshairs calibrated for 20, 30, and 40-yards, and a fourth partial line for 50-yard shots. Scope mounting rings included.



HCA-N9N Multi-Line Scope

# **COCKING DEVICES**

# **ACUDRAW**

- Reduces draw weight to 5-pounds when operated manually
- Lightweight and has no bulky clamp-on accessories
- Draws the bow accurately every time
- Available as an accessory or pre-installed



ACUDRAW PRO (NOT SHOWN)

ACUdraw PRO (Not for use on Pre-2018 Wicked HCA-001-PRO Ridge crossbows)

ACUDRAW 50 (NOT SHOWN)

ACUdraw 50 (Patented) (Not for use on ultra-narrow or HCA-000-A50 reverse-draw crossbows)

# ACUDRAW 50 SLED (NOT SHOWN)

ACUdraw 50 SLED (Patented)
HCA-000-A50-S (Not for use on Nitro X, Nitro XRT, and XR-410)

# ACUSLED (NOT SHOWN)

ACUsled (Not for use on TenPoint HCA-000-AS reverse-draw crossbows)

# 2023 STRING & CABLE REFERENCE GUIDE

The following models require a complete upgrade. Please contact the Customer Experience Team at 330-628-9245 for more information: Huntsman, HuntMaster, 458 Magnum, Woodsman, Woodsman Plus, Woodsman SE, Slider, Titan II, Titan SE, Titan TL-4, Titan TL-7 & Maxim

# TENPOINT

MODELS	STRINGS	CABLES
Turbo Extreme & Magnum Extreme	HCA-115	HCA-124
Elite X2, Magnum X2, Stealth X2, Turbo X2 & Deerslayer	HCA-115	HCA-124
Hybrid Lite & Elite Lite	HCA-115	HCA-124
Pro Fusion, Pro Slider, Titan TL-9 & Titan HLX	HCA-115	HCA-124
Pro Elite, Elite QX-4 & QX-4	HCA-115	HCA-124
Maverick HP, Pro Elite HP, Blazer HP & Lazer HP	HCA-115	HCA-124
Phantom Xtra, Phantom CLS, Shadow CLS, Defender CLS, Carbon Xtra CLS & Carbon Fusion CLS	HCA-11607	HCA-12307
Stealth XLT & Turbo XLT	HCA-12110	HCA-12710
Turbo XLT II, Carbon Elite XLT, Stealth SS & Instinct Order	HCA-12112	HCA-12912
Shadow Ultra-Lite, Lady Shadow, Tactical XLT, Turbo GT & Renegade XLT	HCA-12112-R	HCA-12912-R
Titan Xtreme	HCA-11712	HCA-12612
GT Curve, GT Flex & GT Mag	HCA-12008	N/A
Vapor	HCA-11813	HCA-12813
Venom	HCA-12014	HCA-12514
Stealth FX4 & Venom Xtra	HCA-12015-O	HCA-12515-O
Titan SS & Renegade	HC-11716-S	HCA-12616-S
Carbon Nitro RDX	HCA-12216-R	HCA-13116-R
Carbon Phantom RCX, Eclipse RCX & Titan RCX	HCA-70117	HCA-70017
Titan CLS	WRA183	WRA163
Vengent S440, Viper S400, Stealth NXT, Shadow NXT, NXT 400 & Turbo S1	HCA-70319	HCA-70418
Vapor RS470, Havoc RS440, Siege RS410, XR-410, Nitro XRT & Nitro X	HCA-70318	HCA-70418
Nitro 505 & Flatline 460	HCA-70318	HCA-70418
Turbo M1, Titan M1 & Titan De-Cock	HCA-11619-S	HCA-11619-C
Viper 430	HCA-70319	HCA-70419
Stealth 450	HCA-70319	HCA-70418

# **WICKED RIDGE**

MODELS	STRINGS	CABLES
Invader & Invader HP	WRA182	WRA162
Warrior & Warrior HL	WRA182	WRA162
Raider CLS	WRA183	WRA163
Ranger, Lady Ranger & Brood	HCA-13215-O	HCA-13315-O
Invader G3 & Warrior G3	HCA-13216-OB	HCA-13316-OB
Invader 400, Rampage 360, Rampage XS, Invader X4, Warrior Ultra-Lite, Ranger X2, Blackhawk 360, Blackhawk XT, Woodsman 360, Carbon Woodsman 375 & Raider 400 De-Cock	HCA-75117	HCA-75017
M-370	HCA-11619-S	HCA-11619-C
RDX 400 & Fury 410 De-Cock	HCA-13419-S	HCA-13419-C
NXT400	HCA-70319	HCA-70418

# **HORTON**

MODELS	STRINGS	CABLES
Storm RDX	HCA-12215	HCA-13115
Vortec RDX	HCA-72717	HCA-72617
Legend Ultra Lite	HCA-11716-R	HCA-12616-S

