













Archery


Equipment

Originally established as Soma Sports in 2002, FIVICS has grown over the last two decades into a global company, providing all the products necessary for archery with the best technology and quality.


We always strive to design the best equipment to improve the performance of our athletes. Thank you.

Global











2016 Established an archery bow manufacture factory (Qingdao, China).







Converted to Fivics Corporation, certified as a venture.

Established the development of bows and arrows for Archery in the Olympics.

2009 FIVICS trademark(brand) registration (Korea, USA, Europe, China)

Designated as an excellent sports equipment manufacturer (Ministry of Culture, Sports and Tourism)

First certified by World Archery Association in Asia (Archery target face)

Developed first line of archery equipment (bow, arrow, finger tab, target face).

2002 Established Soma Sports.

FIVICS

Innovation







20 years commemorative limited edition color!

The limited edition Argon-X Riser and Saker 1&2 Finger Tabs will be sold through FIVICS' Dealers.

ARGON-X 25" RISER HA0725ED

Lower center of gravity / fast drop from the bow hand / Superfine full CNC milling / The most precise and stable washer limb alignment system in the world with increments as low as 0.05mm / Stable & steady geometry / Tight & secure wooden grip / Deep color from anodizing

PROCESSING CNC WEIGHT 1,330g MATERIAL AL 6061 TYPE RH GRIP TSG Wood Grip COLOR Anodizing LENGTH 25"





SAKER 1 FINGER TAB SFT01AED

SIZE M (RH) LEATHER Cordovan COLOR Holographic

SAKER 2 FINGER TAB SFT02AED

SIZE M (RH) LEATHER Cordovan COLOR Holographic



0

Ergonomic design / Adjustable ledge / Replaceable face and backing / Optional finger spacer available

02











SM540 CUSHION PLUNGER TNS100AL UPSTABILIZER ORGANIC-X ARMGUARD







CHEST GUARD

06



















THAT EX EINES SAKERE FINGER THE WIND CITES TOO NID















TENFIX FINGER TAB SM540 CUSHION PLUNGER DC1500S DAMPER PX1500 WEIGHT



FV-300S SIGHT / SM540 CUSHION PLUNGER / A2 CHEST GUARD

Marco Galiazzo **Taymon Kenton-Smith**

Pablo Acha Spain

ANTALYA 2021 EUROPEAN CHAMPIONSHIPS | Gold | Silver (Mixed Team)
LAUSANNE 2021 HYUNDAI ARCHERY WORLD CUP STAGE 2 | Silver (Team)
GUATEMALA CITY 2021 HYUNDAI ARCHERY WORLD CUP STAGE 1 | Gold (Team)
MINSK 2019 EUROPEAN GAMES + OG QT WORLD RANKING EVENT | Bronze
TARRAGONA 2018 XVIII MEDITERRANEAN GAMESP | Bronze | Bronze (Team)
ANTALYA 2017 HYUNDAI ARCHERY WORLD CUP STAGE 2 | Bronze (Mixed Team)

Marco Galiazzo Italy

TRUBALL/AXCEL ROMA ARCHERY TROPHY 2019 | Gold
MEXICO CITY 2017 HYUNDAI WORLD ARCHERY CHAMPIONSHIPS | Gold (Team)
ANTALYA 2017 HYUNDAI ARCHERY WORLD CUP STAGE 2 | Gold (Team)
VITTEL 2017 WORLD ARCHERY EUROPE INDOOR CHAMPIONSHIPS | Gold (Team)
LONDON 2012 OLYMPIC GAMES | Gold (Team)
ATHENS 2004 OLYMPIC GAMES | Gold

Melanie Gaubil France

MEDELLIN 2019 HYUNDAI ARCHERY WORLD CUP STAGE 1 | Silver | Bronze (Team) LEGNICA 2018 EUROPEAN ARCHERY CHAMPIONSHIPS | Silver (Mixed Team) BANGKOK 2018 ASIA CUP STAGE 1 | Gold (Mixed Team) | Silver (Team) EUROPEAN GRAND PRIX 2017 - LEG 2 | Gold (Team) 11TH WORLD UNIVERSITY ARCHERY CHAMPIONSHIP | Silver (Mixed Team) MEDITERRANEAN GAMES 2013 (ARCHERY: 22-24 JUNE) | Bronze (Team) EUROPEAN GRAND PRIX | Silver (Team)

Vanessa Landi Italy

'S-HERTOGENBOSCH 2019 HYUNDAI WORLD ARCHERY CHAMPIONSHIPS +
OG QT WORLD RANKING EVENT | Bronze (Mixed Team)
MEDELLIN 2019 HYUNDAI ARCHERY WORLD CUP STAGE 1 | Silver (Team)
LEGNICA 2018 EUROPEAN ARCHERY CHAMPIONSHIPS
| Gold (Mixed Team) | Silver (Team)
SHANGHAI 2018 HYUNDAI ARCHERY WORLD CUP | Bronze
ROME 2017 HYUNDAI ARCHERY WORLD CUP FINAL | Silver (Mixed Team)
2015 EUROPEAN GRAND PRIX 2ND LEG | Gold | Gold (Team)

Taymon Kenton-Smith Australia

TOKYO 2020 PARALYMPIC



Han Jaeyeop Korea

Michael Sanna France

Alessandro Paoli Italy

David Garcia Spain

Jules Vautrin France











Marina Canetta Brazil







Thomas Susca Great Britain



Nuno Carneiro Portugal



Gabrielle Monica Bidaure

Philippines



William Pike Great Britain



Carlos Iglesias Spain



Yulia Larkins Great Britain

Lauren Rawlings Great Britain Monty Orton Great Britain





Maia Tincu France

CONTENT

FIVICS SHOOTING GEAR

FIVICS BOWS		FIVICS BOW ACCESSORIES	
ARGON-X BOW	24	FORNIX 14 STABILIZER	48
TITAN-NX BOW	26	FORNIX 18 STABILIZER	49
TITAN-EX BOW	28	VELLATOR STABILIZER	50
VELLATOR-V3 BOW	30	STABILIZER ACCESSORIES	51
VELLATOR-V2 BOW	32	AIREX CUSHION PLUNGER	52
SIRASONI BOW	33	SM540 CUSHION PLUNGER	54
		ARROW RESTS	54
FIVICS ARROWS		FV-300S SIGHT	55
FIVE-X ARROW	36	ACCESSORIES / ETC	55
TENPRO ARROW	37		
GOLDRO ARROW	38	FIVICS FINGER TABS	
ZEILO ARROW	39	TENFIX FINGER TAB	58
NINJA ARROW	40	SAKER SERIES	60
ARROW CHECKING MACHINE	41	SAKER PLUS FINGER TAB	62
ARROW ACCESSORIES	42	FINGER SPACER	62
		POLITE SERIES	63
		FIVICS PROTECTORS	64

UNICO QUIVER SERIES	
ACCENDO QUIVER SERIES	
AEGIS HARD BOW CASE SERIES	
THUNDER-M COMPOUND CASE	
TENTRON-M BACKPACK	
SHOOTING GEARS / ETC	
OTHER	
FIVICS TARGET FACES	
FIVICS TARGET FACES	
KROSSEN	
KROSSEN	
KROSSEN EXENIA BOW	
KROSSEN XENIA BOW XENIA STABILIZER	
KROSSEN XENIA BOW XENIA STABILIZER SIGHTS	
KROSSEN XENIA BOW XENIA STABILIZER SIGHTS BOW ACCESSORIES	





1 in 1000 mm precision

ALL FIVICS LINE RISERS FEATURE FULL CNC







Construction methods of archery risers include casting, forging, CNC (forging), or the full CNC method, which is accomplished by cutting a solid block of aluminum with a CNC machine tool.

The casting method most commonly used for low-cost risers has an advantage of easily mass-producing products using magnesium and aluminum materials, but has a disadvantage of inaccuracies generated during the casting process which can reduce one's shooting accuracy.

The forging method, which is made by tapping hot metal, creates a higher precision and stronger product than casting but at a higher price.

Full CNC is made by cutting a solid block aluminum with a CNC machine tool, so production is limited and the cost of the process is high.

Some manufacturers do not release Full CNC products due to profitability.

However, as Full CNC has a precision of 1/1000mm, the product is vastly superior to that of casting and forging. Each product is perfectly centered at the vertical and there are no deviations between products.

Method	Casting	CNC After Forging	Full CNC
Precision	Low	Medium	Premium
Durability	Low	High	High
Deviation Between Products	High	Medium	None
Vertical Center Deviation	High	Medium	None
Production Unit Price	Low	Medium	Very High




THE LIMB ALIGNMENT **ADJUSTMENT SYSTEM IN 0.05mm**



Normally, limb alignment adjustment with the washer system is able to adjust in 0.1mm increments.

FIVICS' ultra-precise limb alignment system can adjust 0,05mm to 0.15mm, offering double the amount of precision.



Adjusting the limb alignment without removing the limbs

EASY & STABLE +® CENTER ADJUSTMENT ESA



Perform bow center adjustment without disassembling the riser and limb alignment system The limb alignment system allows a strong fixing force with only one locking bolt.

Limb Alignment System

1. Loosen the locking bolt

2. String is left of center: Loosen the adjustment bolt and the right set screw.

Tighten the left set screw to move the limb to the right.

String is right of center: Loosen the audjustment bolt and left set screw.


Tighten the right set screw to move the limb to the left.

3. Tighten the locking bolt





STABLE & STEADY GEOMETRY

The FIVICS risers are designed with a stable low center of gravity, creating significantly less vibration and shake than a normal riser during shooting. This also has the added benefit of the bow falling faster after the shot, which increases the arrow speed and reduces accidental influence that may be caused by minute hand movement.












7075 RISER 6061 RISER



The Argon and Titan Risers are designed with 6061 aluminum to allow for the best

Using a hydraulic press machine, we have scientifically proven that our 6061 aluminum risers can tolerate higher pressure than risers made from more rigid materials such as 7075 aluminum.






3 important points in grip system

TIGHT AND SECURE GRIP

FIVICS' TSG (Tight and Secure Grip) is designed to maximize the contact between the archer's bow hand and the grip. This grip was produced in an optimal shape specializing in close contact by analyzing the close contact between the hand and the grip in three dimensions as well as analyzing the direction of the force received by the bow hand during anchoring.

The FIVICS TSG is combined with FIVICS' STABLE & STEADY GEOMETRY Riser to exert a synergistic effect which promotes the bow to move to the target at a faster speed and allows a stable control of the arrow even at high speeds.







All FIVICS line Limbs


CWP CARBON PREPREG MATERIAL


With the cooperation of FIVICS Archery and SK Chemical, we have developed a unique Carbon "Prepreg material" specifically designed for the highest performance in archery.


This material allows efficient pull kinetics and quick restoration.

- The most important part of an archery limb is the carbon's raw material.
- In the process of producing good carbon materials, prepreg technology of epoxy and carbon fiber is proportional to the tension and torsion of the limbs.









SKY FLEX = Natural Flex fiber + Epoxy Resin

20




New type of Limbs Argon X - Surprising effect of


45°CARBON TECHNOLOGY

Glass fiber is used to protect carbon within the limb, but this combination reduces arrow speed due to the heavy mass weight.

The 45 degree carbon system increases shooting stability, protecting the carbon as well as reinforcing anti-twisting.










New type of Limbs Argon X - Surprising effect of

POWER ZONE BALANCE

The location and angle of the Power Zone has been improved (area that creates the most acceleration)







AR TECH - INNOVATIVE LIMBS CNC PROCESSING

AR technology maintains similar successful performance to limbs made with the original materials, while also utilizing CNC processing to increase the consistency and uniformity of productivity.

Additionally, production of FIVICS limbs eliminates any air in the adhesion process, minimizing limbs fractures and torsions. Lastly, the new 330-carbon improves the elasticity, optimizing speed and balance.






Dry fire testing for breaking and strength of limbs



Increased stiffness while saving the same stability and uniform elasticity of the limb.



2





ARGON-X

ARGON-X 25" RISER HA0725 ARGON-X 27" RISER HA0727 SPECIAL

Lower center of gravity / fast drop from the bow hand / Superfine full CNC milling / The most precise and stable washer limb alignment system in the world with increments as low as 0.05mm / Stable & steady geometry / Tight & secure wooden grip / Deep color from anodizing

PROCESSING CNC WEIGHT 1,330g(25") / 1,380g(27") MATERIAL AL 6061 TYPE RH / LH GRIP TSG Wood Grip COLOR Anodizing LENGTH 25", 27"



ARGON-X WOOD CORE LIMBS LAWCO1 UPGRADE ARGON-X FOAM CORE LIMBS LAFCO1 UPGRADE

CWP3024 carbon Material / 45° carbon technology / AR tech CNC processing / The location and angle of the Power Zone has been improved

MATERIAL CWP3024 1K Full Carbon CORE Wood core / Foam core BOW LENGTH 66", 68", 70" DRAW WEIGHT(lbs.) 32#~50# (2# increments)

FIVICS limbs follow the international limb fitting system (ILF) and are guaranteed to fit in all FIVICS risers and others.











CWP3024 1K FULL CARBON WOOD CORE CWP Double angled 1K Full Carbon Bakelite/315 Natural UD carbon Bakelite (315) is a thermoset with High Quality Wood Core excellent flexion intensity. - High Quality Wood Core Natural UD carbon CWP3024 - CWP Double angled 1K Full Carbon 1K FULL CARBON FOAM CORE - CWP Double angled 1K Full Carbon Bakelite/315 Bakelite (315) is Natural UD carbon a thermoset with excellent flexion High Quality Foam Core - Natural UD carbon CWP Double angled 1K Full Carbon







TITAN-NX

TITAN-NX 25" RISER HX0625

The light weight high-end riser / Superfine full CNC milling / Adjustable limb alignment with an M8 and M10 wrench without removing limbs / Stable & steady geometry / Tight & secure wooden grip / Deep color from anodizing

PROCESSING CNC WEIGHT 1,230g MATERIAL AL 6061

TYPE RH / LH GRIP TSG Wood Grip COLOR Anodizing LENGTHS 25"



TITAN-NX WOOD CORE LIMBS LINWOI TITAN-NX FOAM CORE LIMBS LNF01

CWP240 carbon Material / 45° carbon technology / AR tech CNC processing

MATERIAL CWP240 3K Full Carbon CORE Wood core / Foam core BOW LENGTH 66", 68", 70" DRAW WEIGHT(lbs.) 32#~50# (2# increments)

FIVICS limbs follow the international limb fitting system (ILF) and are guaranteed to fit in all FIVICS risers and others.









CWP240 3K FULL CARBON WOOD CORE CWP Double angled 3K Full Carbon Bakelite/315 Natural UD carbon Bakelite (31S) is a thermoset with High Quality Wood Core excellent flexion High Quality Wood Core Natural UD carbon **CWP**240 - CWP Double angled 3K Full Carbon 3K FULL CARBON FOAM CORE CWP Double angled 3K Full Carbon Bakelite/315 Bakelite (31S) is Natural UD carbon a thermoset with excellent flexion

intensity.

High Quality Foam Core

- CWP Double angled 3K Full Carbon

Natural UD carbon





BOWS





TITAN-EX

TITAN-EX 25" RISER HX0525 TITAN-EX 27" RISER HX0527 SPECIAL

Perfect centroidal balance / Superfine full CNC milling / The most precise and stable washer limb alignment system in the world with increments as low as 0.05mm / Stable & steady geometry / Tight & secure wooden grip / Deep color from anodizing

PROCESSING CNC WEIGHT 1,330g(25") / 1,380g(27") MATERIAL AL 6061 TYPE RH / LH GRIP TSG Wood Grip COLOR Anodizing LENGTH 25", 27"



TITAN-EX WOOD CORE LIMBS LXWC01 TITAN-EX FOAM CORE LIMBS LXCF01

CWP240 carbon Material / 45° carbon technology / AR tech CNC processing

MATERIAL CWP240 3K Full Carbon CORE Wood core / Foam core BOW LENGTH 66", 68", 70" DRAW WEIGHT(lbs.) 32#~50# (2# increments)

FIVICS limbs follow the international limb fitting system (ILF) and are guaranteed to fit in all FIVICS risers and others.









CWP240 3K FULL CARBON WOOD CORE CWP Double angled 3K Full Carbon Bakelite/315 Natural UD carbon Bakelite (31S) is a thermoset with High Quality Wood Core excellent flexion High Quality Wood Core Natural UD carbon **CWP**240 CWP Double angled 3K Full Carbon 3K FULL CARBON FOAM CORE CWP Double angled 3K Full Carbon Bakelite/315 Bakelite (31S) is Natural UD carbon a thermoset with excellent flexion High Quality Foam Core intensity. Natural UD carbon - CWP Double angled 3K Full Carbon



ENC CNC









VELLATOR-V3

VELLATOR-V3 25" RISER HV0325

High quality mid tier riser / Superfine full CNC milling / Adjustable limb alignment with an M8 and M10 wrench without removing limbs / Stable & steady geometry / Deep color from anodizing

PROCESSING CNC WEIGHT 1,210g MATERIAL AL 6061 TYPE RH / LH GRIP Plastic COLOR Anodizing LENGTH 25"



VELLATOR WOOD CORE LIMBS LVWC02 **VELLATOR** FOAM CORE LIMBS **LVFC02**

CUP240 carbon Material / 45° carbon technology / AR tech CNC processing

MATERIAL CUP240 Carbon CORE Wood core / Foam core BOW LENGTH 66", 68", 70" DRAW WEIGHT(lbs.) 22#~38# (2# increments)

CUP240

Bakelite / 245

Bakelite (24S) is a thermoset with

excellent flexion

CUP240

Bakelite/245 Bakelite (24S) is

a thermoset with excellent flexion

intensity.

FIVICS limbs follow the international limb fitting system (ILF) and are guaranteed to fit in all FIVICS risers and others.

Fiber Glass Fabric

Natural UD carbon

Hard Maple Wood

Hard Maple Wood Natural UD carbon

- Fiber Glass Fabric

Fiber Glass Fabric

Natural UD carbon

Natural UD carbon - Fiber Glass Fabric

M-Foam Core

















VELLATOR-V2

VELLATOR-V2 25" RISER HV0225 VELLATOR-V2 23" RISER HV0223

Only 1,100grams / Superfine full CNC milling / Stable & steady geometry / Deep color from anodizing

PROCESSING CNC WEIGHT 1,050g(23") / 1,100g(25") MATERIAL AL 6061
TYPE RH / LH GRIP Plastic COLOR Anodizing LENGTH 23", 25"



SIRASONI


SIRASONI 17" RISER HS0117

Superfine full CNC milling / Adjustable limb alignment with an M8 and M10 wrench without removing limbs / Stable & steady geometry / Tight & secure wooden grip / Deep color from anodizing

PROCESSING CNC WEIGHT 1,030g / 2,27 lbs MATERIAL AL 6061 TYPE RH / LH GRIP TSG Wood Grip COLOR Anodizing LENGTH 17"







MATERIAL CWP240 3K Full Carbon BOW LENGTH Medium 60" / Long 62" DRAW WEIGHT(lbs.) 30~55 lbs in 5 lbs increments

SIRASONI HUNTING LIMBS LSW01

FIVICS limbs follow the international limb fitting system (ILF) and are guaranteed to fit in all FIVICS risers and others.

































TECHNOLOGY OF **FIVICS** ARROW

THE WORLD'S BEST ARROW GROUPING FIVICS' FIVE-X




Through the use of tomography on arrows used in competitions around the world, FIVICS has confirmed that many arrows have internal cracks in their carbon. The Five-X arrows are constructed of MC 46TON carbon with strict quality control. They are managed with 6 times greater precision than the existing world's highest level of spine deviation, and have a 0% internal crack rate.

Cross section crack test



FIVE-X VS **Other brand** Arrows




carbon cracks inside the arrow.
FIVE-X reduces the chance of any cracks with a special high quality carbon material, allowing for the best arrow flight.

Grouping test with shooting machine

The FIVE-X's special carbon material and strict quality control have been proven through excellent arrow grouping. By using a shooting machine, we have formed groupings that are superior to those of other brands.







FIVE-X


FIVE-X CARBON ARROW SHAFT ARFX

Advanced Technology / Extreme Accuracy / The FIVE-X is the perfect competition arrow made with the latest carbon technology.

STRAIGHTNESS ± 0.001" WEIGHT TOLERANCE ± 1.0 grains SPINE SELECTION TOLERANCE ± 0.002"







FIVE-X ALUMINUM INSERT PIN FXIN



Size	X-10 Comparison	Length	Weight (Grain)	GPI	Outside Diameter	Qty		mmended eight Range	Pin Nock	Out
	Companson	100 Sollor - 1050	(Grain)		Diameter		Steel	Tungsten	Adapter	Nock
350	325	32"	308.3	9.63	0.2136"	12pack				
400	325~350	32"	284.5	8.89	0.2112"	12pack	1X	1X		F.0
450	350~380	32"	261.7	8.18	0.2068"	12pack				5.0
500	410~450	31"	249.1	8.04	0.2013"	12pack				
550	450~500	31"	216.7	6.99	0.1989"	12pack		2X		
600	500~550	30"	201.5	6.72	0.1957"	12pack	27		1 Line	17
650	550~600	30"	193.7	6.46	0.1927"	12pack	2X			4.7
700	600~650	29"	174.9	6.03	0.1898"	12pack				
750	650~700	29"	166.9	5.76	0.1895"	12pack				
800	700~750	29"	162.3	5.60	0.1864"	12pack		3X	(8)	
850	750~800	28"	150.2	5.36	0.1831"	12pack	3X			4.5
900	830	28"	144.8	5.17	0.1831"	12pack			0 Line	
1000	900	28"	1345	4.80	0.1792"	12pack				

TENPRO

TENPRO CARBON ARROW SHAFT TPROS

30ton carbon allows for extreme speed, strength, and consistency in shooting STRAIGHTNESS ± 0.002" WEIGHT TOLERANCE ± 1.0 grains SPINE SELECTION TOLERANCE ± 0.002"

TENPRO STAINLESS STEEL POINT TPSP



TENPRO ALUMINUM INSERT PIN TPPIN



Size	Length	Weight (Grain)	GPI	Outside Diameter	Qty	Recommended Point Weight Range	Pin Nock Adapter	Out Nock
400	32"	302.4	9.45	0.2354"	12pack		n	
450	32"	287.7	8.99	0.2279"	12pack	1T/120gr	4	5.48
500	31"	262.7	8.47	0.2216"	12pack			
550	31"	248,8	8.03	0.2185"	12pack		1 Line	
600	31"	228.9	7.38	0.2145"	12pack	2T/120gr		5.2
650	31"	220.5	7.11	0.2126"	12pack	21/120gr	fi	
700	30"	204.6	6.82	0.2118"	12pack			
800	30"	186.9	6.23	0.2055"	12pack		1	
900	29"	164.0	5.66	0.2007"	12pack			
1000	29"	154.1	5.31	0.2004"	12pack	3T/120gr	0 Line	4.00
1100	28"	142.2	5.08	0.1953"	12pack			4.92
1200	28"	134.6	4.81	0.1929"	12pack			



ARROWS

GOLDRO

GOLDRO CARBON ARROW GDRA

GOLDRO is the target arrow for youth archers / NEW cross weave layer of pure carbon gives it unequaled strength / Advanced Technology, Extreme Accuracy / The Stylish Graphics.

STRAIGHTNESS ± 0.002" WEIGHT TOLERANCE ± 1.0 grains SPINE SELECTION TOLERANCE ± 0.0025"

GOLDRO STAINLESS STEEL GRPO





		WEIGHT 120gr
unite		WEIGHT 110gr

Size	Length	Weight (Grain)	GPI	Outside Diameter	Qty	Recommended Point Weight Range	Out Nock
800	29"	199.4	6.88	0.2234"	12 pack		
900	29"	184.7	6.37	0.2196"	12 pack		5.48
1000	28"	169.7	6.06	0.2172"	12 pack	120gr	
1100	28"	161.7	5.78	0.2151"	12 pack		
1200	28"	155.6	5.56	0.2135"	12 pack		2100
1300	28"	146.5	5.23	0.2109"	12 pack		
1400	28"	141.3	5.05	0,2096"	12 pack	110gr	
1500	28"	131.2	4.69	0.2082"	12 pack	rrogr	5.2
1600	28"	120.2	4.29	0.2049"	12 pack		

ZEILO

ZEILO CARBON ARROW SHAFT ZLA

ZEILO is the target arrow for youth archers / NEW cross weave layer of pure carbon gives it unequaled strength / Advanced Technology, Extreme Accuracy.

STRAIGHTNESS ± 0.002" WEIGHT TOLERANCE ± 1.0 grains SPINE SELECTION TOLERANCE ± 0.0025"

ZEILO STAINLESS STEEL POINT



ZEILO ALUMINUM INSERT PIN ZT001SV



Size	Length	Weight (Grain)	GPI	Outside Diameter	Qty	Recommended Point Weight Range
500	30"	303.8	10.13	0.2515"	12 pack	110gr / 120gr
600	30"	280.3	9.34	0.2490"	12 pack	110gr / 120gr
700	30"	232.9	7.76	0.2455"	12 pack	110gr / 120gr
800	29"	221.3	7,63	0.2412"	12 pack	110gr / 120gr
900	29"	209.4	7.22	0.2386"	12 pack	110gr / 120gr
1000	28"	198.0	7.07	0.2372"	12 pack	110gr / 120gr
1100	28"	185.0	6.61	0.2352"	12 pack	110gr / 120gr
1200	28"	183.3	6.55	0.2339"	12 pack	110gr / 120gr
1300	28"	178.7	6.38	0.2333"	12 pack	110gr / 120gr
1400	28"	161.7	5.78	0.2317"	12 pack	110gr / 120gr
1500	28"	156.6	5.59	0.2303"	12 pack	110gr / 120gr





NINJA

NINJA FOR BEGINNER CARBON COMPOSITE ARROW ARNNS

Complete arrow comes in a dozen / 12pcs shaft + 1.65" vanes + in nock + break-off point.

STRAIGHTNESS ± 0.006"





NINJA POINT NMPON





Size	Length	Qty	Recommended Point Weight Range
400	33"	12 pack	80gr
500	33"	12 pack	80gr
600	33"	12 pack	80gr
700	33"	12 pack	80gr
800	33"	12 pack	80gr
900	33"	12 pack	80gr
1000	30"	12 pack	80gr
1100	30"	12 pack	80gr
1200	30"	12 pack	80gr
1300	30"	12 pack	80gr
1500	30"	12 pack	80gr
1800	30"	12 pack	80gr

ARROW CHECKING MACHINE SPECIAL ORDER





ARROW CHECKING MACHINE ACMOIT

Thrubeam Type Laser Sensor / Straight Check - 1/10,000 inch Deviation Check Spine Check / Outside Diameter Check
















OUTSIDE DIAMETER

Outside Diameter Check



ARROW ACCESSORIES









X-NET STAINLESS STEEL POINT FOR X-10 SHAFT

WEIGHT 120gr XNET10120

WEIGHT 110gr XNET10110



PIN NOCK (S) NC001S PIN NOCK (L) NC001L

This universal pin nock fits all standard pin nock adapters. It is made from a durable polycarbonate material that performs shot after shot.

AVAILABLE IN TWO SIZE S fits 12-18 strand strings / L fits 20-24 strand strings

FINEST PRECISION TUNGSTEN POINT

FIVICS has developed the finest precision tungsten point with the world's best precision processing technology. More precise points make better groupings.

Contents	Other brand	FIVICS Tungsten Point
Weigh	118.8gr~121.5gr	119.7~120.3gr
Length	47.27mm~47.84mm	± 0.1
Diameter	3.13mm~3.20mm	No difference
Price		Cheaper than other brands
More information	Rough Surface Hardness is too high making it is easy to break	Smooth Surface Has moderate hardness, so it doesn't break easily





FIVICS' X10 Tungsten Point

FIVICS ARROWS SELECTION GUIDE

Adjusted Bow Draw Weight

FX: FIVE-X TP: TENPRO GR : GOLDRO ZL: ZEILO ALNIN: LN

Bow Draw Weight	16~lbs.	18~lbs.	20~lbs.	22~lbs.	24~lbs.	26~lbs.	28~lbs.	30~lbs.	32~lbs.
23"	NJ1800	NJ1800	GR1600 ZL1500 NJ1500	GR1600 ZL1500 NJ1500	GR1500 ZL1500 NJ1500	GR1400 ZL1400 NJ1300	GR1300 ZL1300 NJ1300	GR1200 ZL1200 NJ1100	TP1200 GR1100 ZL1100 NJ1100
24"	NJ1800	GR1600 ZL1500 NJ1800	GR1600 ZL1500 NJ1500	GR1500 ZL1500 NJ1500	GR1400 ZL1400 NJ1300	GR1300 ZL1300 NJ1300	GR1200 ZL1200 NJ1100	TP1200 GR1100 ZL1100 NJ1100	TP1100 GR1000 ZL1000 NJ1000
25"	GR1600 ZL1500 NJ1800	GR1600 ZL1500 NJ1500	GR1500 ZL1500 NJ1500	GR1400 ZL1400 NJ1300	GR1300 ZL1300 NJ1300	GR1200 ZL1200 NJ1100	TP1200 GR1100 ZL1100 NJ1100	TP1100 GR1000 ZL1000 NJ1000	FX1000 TP1000 GR900 ZL900 NJ900
26"	GR1600 ZL1500 NJ1500	GR1500 ZL1500 NJ1500	GR1400 ZL1400 NJ1300	GR1300 ZL1300 NJ1300	GR1200 ZL1200 NJ1100	TP1200 GR1100 ZL1100 NJ1100	TP1100 GR1000 ZL1000 NJ1000	FX1000 TP1000 GR900 ZL900 NJ900	FX1000 TP900 GR900 ZL900 NJ900
27"	GR1500 ZL1500 NJ1500	GR1400 ZL1400 NJ1300	GR1300 ZL1300 NJ1300	GR1200 ZL1200 NJ1100	TP1200 GR1100 ZL1100 NJ1100	TP1100 GR1000 ZL1000 NJ1000	FX1000 TP1000 GR900 ZL900 NJ900	FX1000 TP900 GR900 ZL900 NJ900	FX900 TP800 GR800 ZL800 NJ800
28"	GR1400 ZL1400 NJ1300	GR1300 ZL1300 NJ1300	GR1200 ZL1200 NJ1100	TP1200 GR1100 ZL1100 NJ1100	TP1100 GR1000 ZL1000 NJ1000	FX1000 TP1000 GR900 ZL900 NJ900	FX1000 TP900 GR900 ZL900 NJ900	FX900 TP800 GR800 ZL800 NJ800	FX900 TP800 GR800 ZL800 NJ800
29"	GR1300 ZL1300 NJ1300	GR1200 ZL1200 NJ1100	TP1200 GR1100 ZL1100 NJ1100	TP1100 GR1000 ZL1000 NJ1000	FX1000 TP1000 GR900 ZL900 NJ900	FX1000 TP900 GR900 ZL900 NJ900	FX900 TP800 GR800 ZL800 NJ800	FX900 TP800 GR800 ZL800 NJ800	FX850 TP700 ZL700 NJ700
30"	GR1200 ZL1200 NJ1100	TP1200 GR1100 ZL1100 NJ1100	TP1100 GR1000 ZL1000 NJ1000	FX1000 TP1000 GR900 ZL900 NJ900	FX1000 TP900 GR900 ZL900 NJ900	FX900 TP800 GR800 ZL800 NJ800	FX900 TP800 GR800 ZL800 NJ800	FX850 TP700 ZL700 NJ700	FX800 TP700 ZL700 NJ700
31"	TP1200 GR1100 ZL1100 NJ1100	TP1100 GR1000 ZL1000 NJ1000	FX1000 TP1000 GR900 ZL900 NJ900	FX1000 TP900 GR900 ZL900 NJ900	FX900 TP800 GR800 ZL800 NJ800	FX900 TP800 GR800 ZL800 NJ800	FX850 TP700 ZL700 NJ700	FX800 TP700 ZL700 NJ700	FX750 TP650 ZL600 NJ600
32"	TP1100 GR1000 ZL1000 NJ1000	FX1000 TP1000 GR900 ZL900 NJ900	FX1000 TP900 GR900 ZL900 NJ900	FX900 TP800 GR800 ZL800 NJ800	FX900 TP800 GR800 ZL800 NJ800	FX850 TP700 ZL700 NJ700	FX800 TP700 ZL700 NJ700	FX750 TP650 ZL600 NJ600	FX700 TP600 ZL600 NJ600
33"	FX1000 TP1000 GR900 ZL900 NJ900	FX1000 TP900 GR900 ZL900 NJ900	FX900 TP800 GR800 ZL800 NJ800	FX900 TP800 GR800 ZL800 NJ800	FX850 TP700 ZL700 NJ700	FX800 TP700 ZL700 NJ700	FX750 TP650 ZL600 NJ600	FX700 TP600 ZL600 NJ600	FX650 TP550 ZL500 NJ500

Bow Draw Weight	34~lbs.	36~lbs.	38~lbs.	40~lbs.	42~lbs.	44~lbs.	46~lbs.	48~lbs.	50~lbs.	52~lbs.	54~lbs.	56~lbs
23"	TP1100 GR1000 ZL1000 NJ1000	FX1000 TP1000 GR900 ZL900 NJ900	FX1000 TP900 GR900 ZL900 NJ900	FX900 TP800 GR800 ZL800 NJ800	FX900 TP800 GR800 ZL800 NJ800	FX850 TP700 ZL700 NJ700	FX800 TP700 ZL700 NJ700	FX750 TP650 ZL600 NJ600	FX700 TP600 ZL600 NJ600	FX650 TP550 ZL500 NJ500	FX600 TP500 ZL500 NJ500	FX550 TP450 NJ400
24"	FX1000 TP1000 GR900 ZL900 NJ900	FX1000 TP900 GR900 ZL900 NJ900	FX900 TP800 GR800 ZL800 NJ800	FX900 TP800 GR800 ZL800 NJ800	FX850 TP700 ZL700 NJ700	FX800 TP700 ZL700 NJ700	FX750 TP650 ZL600 NJ600	FX700 TP600 ZL600 NJ600	FX650 TP550 ZL500 NJ500	FX600 TP500 ZL500 NJ500	FX550 TP450 NJ400	FX500 TP400 NJ400
25"	FX1000 TP900 GR900 ZL900 NJ900	FX900 TP800 GR800 ZL800 NJ800	FX900 TP800 GR800 ZL800 NJ800	FX850 TP700 ZL700 NJ700	FX800 TP700 ZL700 NJ700	FX750 TP650 ZL600 NJ600	FX700 TP600 ZL600 NJ600	FX650 TP550 ZL500 NJ500	FX600 TP500 ZL500 NJ500	FX550 TP450 NJ400	FX500 TP400 NJ400	FX450 TP300
26"	FX900 TP800 GR800 ZL800 NJ800	FX900 TP800 GR800 ZL800 NJ800	FX850 TP700 ZL700 NJ700	FX800 TP700 ZL700 NJ700	FX750 TP650 ZL600 NJ600	FX700 TP600 ZL600 NJ600	FX650 TP550 ZL500 NJ500	FX600 TP500 ZL500 NJ500	FX550 TP450 NJ400	FX500 TP400 NJ400	FX450 TP300	FX400
27"	FX900 TP800 GR800 ZL800 NJ800	FX850 TP700 ZL700 NJ700	FX800 TP700 ZL700 NJ700	FX750 TP650 ZL600 NJ600	FX700 TP600 ZL600 NJ600	FX650 TP550 ZL500 NJ500	FX600 TP500 ZL500 NJ500	FX550 TP450 NJ400	FX500 TP400 NJ400	FX450 TP300	FX400	FX350
28"	FX850 TP700 ZL700 NJ700	FX800 TP700 ZL700 NJ700	FX750 TP650 ZL600 NJ600	FX700 TP600 ZL600 NJ600	FX650 TP550 ZL500 NJ500	FX600 TP500 ZL500 NJ500	FX550 TP450 NJ400	FX500 TP400 NJ400	FX450 TP300	FX400	FX350	
29"	FX800 TP700 ZL700 NJ700	FX750 TP650 ZL600 NJ600	FX700 TP600 ZL600 NJ600	FX650 TP550 ZL500 NJ500	FX600 TP500 ZL500 NJ500	FX550 TP450 NJ400	FX500 TP400 NJ400	FX450 TP300	FX400	FX350		
30"	FX750 TP650 ZL600 NJ600	FX700 TP600 ZL600 NJ600	FX650 TP550 ZL500 NJ500	FX600 TP500 ZL500 NJ500	FX550 TP450 NJ400	FX500 TP400 NJ400	FX450 TP300	FX400	FX350			
31"	FX700 TP600 ZL600 NJ600	FX650 TP550 ZL500 NJ500	FX600 TP500 ZL500 NJ500	FX550 TP450 NJ400	FX500 TP400 NJ400	FX450 TP300	FX400	FX350				
32"	FX650 TP550 ZL500 NJ500	FX600 TP500 ZL500 NJ500	FX550 TP450 NJ400	FX500 TP400 NJ400	FX450 TP300	FX400	FX350					
33"	FX600 TP500 ZL500 NJ500	FX550 TP450 NJ400	FX500 TP400 NJ400	FX450 TP300	FX400	FX350						

1K HIGH-ELASTIC CARBON TECHNOLOGY FORNIX STABILIZER

The FORNIX Stabilizer is formed by the efficient layering of General Modulus Carbon into High Modulus Carbon.

This build is characterized as highly elastic and having a very strong spine relative to the weight of the unit. Fivics also uses the high-pressure mold method to diminish the presence of resins (foreign substances and impurities), maximize carbon purity density, and minimize residual and unwanted vibrations.

The FIVICS specific DAMPER uses high-quality butyl as an ingredient to develop a mixing ratio which can reduce vibrations up to 100%.




FORNIX 14 VS FORNIX 18 VS CEX 1900

TECHNOLOGY

STABILIZER

FIVICS



STABILIZER SCREW TAB

by adding a screw indent to the carbon attachment point, the coupling force of the joint connecting the carbon stabilizer to the end cap is stronger.



Constant of the second of the

BTR100

Fivics produced 100 sample dampers each with different rubber blending ratios and shapes to determine the best combination and consistency, we found the following products achieve the best performance out of all the blending ratios, so we designated this rubber as brt100 and apply it to all of our damper products.



FORNIX 14

1k high-elastic carbon technology

FORNIX 14 STABILIZER SIDE SF14RCS FORNIX 14 STABILIZER EXTENDER SF148RCE

The FORNIX 14 Stabilizer's outer circumference is 14mm and is 4mm thick of high-elastic carbon (carbon fiber). This new stabilizer is unique because it uses specially produced carbon fabric (only applied to FIVICS products), which focuses on the dampening of vibration.

MATERIAL 40ton Carbon DIAMETER 14.5mm

EXTENDER DIAMETER 18mm

LENGTH Long: 26", 28", 30" / Side: 10", 11", 12", 13", 15" / Extender: 4", 5"

WEIGHT 190a(28"), 108a(12")

4MM THICK OF HIGH-ELASTIC CARBON 14 Stabilizers are composed of a rolled 26-ply, 4mm thick carbon shaft with a spine diameter of 14mm. They have a strong elasticity and minimize the influence of wind on the bow.

FORNIX 14 STABILIZER LONG SF14RCL

FORNIX 18 1k high-elastic carbon technology

FORNIX 18 STABILIZER LONG SF18RCL FORNIX 18 STABILIZER SIDE SF18RCS FORNIX 18 STABILIZER EXTENDER SF148RCE

With the use of stainless steel end-caps, the FORNIX 18 stabilizer is able to redirect force towards the target, while also dispersing unwanted vibration and increasing bow

The FORNIX 18 was created for the archer that prefers thicker stabilizers, while also using High Modulus Carbon which provides the beneficial elastic characteristics.

MATERIAL 36ton Carbon DIAMETER 18mm LENGTH Long: 26", 28", 30" / Side: 10", 11", 12"/ Extender: 4", 5" WEIGHT 176q(28"), 84q(12")





BOW ACCESSORIES



VELLATOR

VELLATOR STABILIZER LONG STVOIL VELLATOR STABILIZER SIDE STV01S VELLATOR STABILIZER EXTENDER STV02E

The VELLATOR STABILIZER orients and builds General Modulus Carbon into the ideal stabilizer for intermediate archers. In addition to high elasticity and strong spine per weight, the VELLATOR STABILIZERS also come in multiple vibrant color saturations.

Including special laminating materials / Damper and weight head included / Absorbing noise system stabilizer + damper + weight head

MATERIAL 24ton Carbon DIAMETER 18mm **LENGTH** Long: 26", 28", 30" / Side: 9", 10", 12" / Extender: 3", 4"(Aluminum) WEIGHT 134g(28"), 84g(12")



STABILIZER ACCESSORIES



LOK V-BAR

VBLOK02R / NEW

Locked on Kinetics! This new V-Bar has a reduced vibration with stable performance.

ANGLE 35° / 40° / 45° MATERIAL Aluminum



MAN V-BAR VBM01R

Stable performance.

ANGLE 35" / 40" / 45" MATERIAL Aluminum



Quick disconnection

ANGLE 10° MATERIAL Aluminum



WT15004

PX1500 WEIGHT

DIAMETER 29mm WEIGHT 26g/52g/104g



WT WEIGHT

DIAMETER 20mm WEIGHT Head-40g / Flat-26g



CONVERTER SCREW

Appliable for all dampers



DC1500S DAMPER DC1500S

Using special rubber IIR

THREAD 1/4"-20



DC1500 DAMPER DC1500 THREAD 1/4"-20



V-ZERO DAMPER VZEROL THREAD 1/4"-20



V-ZERO MINI DAMPER

VZEROM THREAD 1/4"-20

A R E NEW MATERIAL PATENT PENDING PENDING





AIREX CUSHION PLUNGER AECP

Dial checking

Pressure point material: Hastelloy

THREAD 5/16"-24

ADJUSTABLE LENGTH Min 19.5mm, Max 26.5mm





Easily adjustable knob with a smooth clicking feeling between settings.



Dial Gauge

NEW MATERIAL HASTELLOY

HASTELLOY PRESSURE POINT

What is Hastelloy?

Hastelloy offers exceptional resistance to strong oxidizing solutions, strong durability in reducing environments, and a low carbon content that provides minimization of grain-boundary carbide precipitation.

What is Corrosion resistance?

Corrosion resistance refers to the resistance a material offers against a reaction with adverse elements that can corrode the material. Various materials have this property intrinsically, depending upon their corrosion resistance rate.

Hastelloy minimizes corrosion when the arrow shaft touches the cushion plunger during arrow flight and makes the arrow fly more stable with greater grouping. We apply this high-end material to the new cushion plunger "Airex".


6000 TIMES SHOT ABRASION TEST

After installing on the cushion plunger test equipment, measurements of the friction were taken 3 times for each material, repeated 2.000 times. Measurements of the abrasion of the arrow surface and abrasion of the pressure point per number of time were also collected.

Material 1: Hastelloy Pressure Point Material 2: Aluminum Pressure Point







HASTELLOY Pressure point

Arrow Shaft Surface / Pressure Point: 6000 times shot abrasion test

- Arrow Shaft Surface Abrasion: Almost None.
- Pressure Point Abrasion: Almost None.

ALUMINUM Pressure point

Arrow Shaft Surface / Pressure Point: 2000 times shot abrasion test

- Arrow Shaft Surface Abrasion : High
- Pressure Point Abrasion : High



SM540 CUSHION PLUNGER SM540

Compact size for easy setting

THREAD 5/16"-24 ADJUSTABLE LENGTH Min 19.5mm, Max 26,5mm















OUT-NOCK REST RS03

This arrow rest is designed to allow out-nock arrows to stay on the rest without concern for arrow drops. Compatible with all nock types.

RS REST RS02

Ambidextrous Design Allows out-nock & pin-nock



FV-300S SIGHT FV300S

Designed for Olympic style / Recurve bows / Specially designed weight and dampers available (included) / VTS (Variable Tension System) / Elevation travel tension adjustment

SIZE Extention 9" TYPE RH MATERIAL Aluminum, Carbon





Designed for Olympic style recurve bows / Fit for all sights







BOW ACCESSORIES



TNV2300 UPSTABILIZER TNV2300

WEIGHT 86g THREAD 5/16"-24



TNS100AL UPSTABILIZER TNS100AL

WEIGHT 90g THREAD 5/16"-24



AUTOMATIC BOW STAND (SHORT) STOO1S

HEIGHT 44cm WEIGHT 573g MATERIAL Aluminum

AUTOMATIC BOW STAND

(LONG) STOO1L

HEIGHT 65cm WEIGHT 680g MATERIAL Aluminum



TENFIX Lock-in on the 10



SIZE L / M / S (RH / LH) WEIGHT M 90g LEATHER Cordovan

The world's most customizable finger tab.

The TENFIX finger tab is designed in collaboration with the nationally renowned coach, Kwon Yong-Hak.

Coach Kwon is praised as one of the best coaches in China because he has produced amazing results as a coach,

The TENFIX finger tab's body is a smooth design which incorporates the function of the Saker Finger Tab series' EP system.


The 9mm-thick aluminum plate provides the best adhesion to the hand and a thumb and little finger supporter can be adjusted in 3 axis and 6 directions.

This is the most customizable finger tab in the world, with elements to best suit your hands, and includes the most natural and accurate hooking sensation to increase shooting accuracy.

TECHNOLOGY OF FIVICS FINGER TABS


ADJUSTABLE IN THREE AXIS AND SIX DIRECTIONS 600























Pinky Rest has greater adjustability compared to the Saker Finger Tab





SAKER SERIES



Ergonomic design Adjustable ledge Replaceable face and backing Finger spacer included



SAKER 1 FINGER TAB

SFT01A

SIZE XL/L/M/S/XS/XXS(RH/LH) LEATHER Cordovan

















SAKER 3 FINGER TAB SFT03A SIZE L/M/S(RH/LH) LEATHER Cordovan COLOR Blue Red Yellow



BRASS SAKER 1 FINGER TAB

BFT01A

SIZE L / M / S (RH / LH) WEIGHT L 162g, M 152g, S 144g LEATHER Cordovan





BRASS SAKER 2 FINGER TAB BFT02A

SIZE L / M / S (RH / LH)

WEIGHT L 150g, M 140g, S 136g **LEATHER** Cordovan



SAKER 1 FINGER TAB FRAME EP EP002

The Frame EP offers top shooters another reference for their hooking direction to allow for the mostcomfort and balance. This component enhances the Saker Finger Tab's Ergonomic design.

SIZE saker1 XL, L = EP (L size) / saker1 M, S = EP (M size) / saker1 XS, XXS = EP (S size) WA RULES Book3, Chapter 11, Article 11.18

The Technical Committee concluded that if the bar extends to the wrist but not beyond (extends at or before the contact point between the hand and the wrist), then the extension is legal. World Archery C&R Committee, 22 September 2014

FINGER TABS

FINGER TABS

SAKER PLUS




SAKER PLUS FINGER TAB SFT04AN

SIZE L / M / S (RH is new model, but LH is old version in 2016)

Saker Plus finger tab is 4mm thick, allows 3 weight control systems and 5 angle adjustment system through precise machining of the aluminum plate. Saker Plus finger tab can be adjusted to fit the archers shape and preference to allow more stable hooking position, making it the best tab to shoot perfectly in





4. Balance Control







FINGER SPACER













THICK SPACER FS004D

MATERIAL Rubber SIZE 39.8 x 29.3 x 16,2mm

POLITE SERIES reddot award 2014







POLITE 3 FINGER TAB NEWPFT03

SIZE L / M / S (RH / LH) COLOR Champagne Gold LEATHER Cordovan

POLITE 2 FINGER TAB NEWPFT02

SIZE L / M / S (RH / LH) COLOR Champagne Gold LEATHER Cordovan

Emphasizes the sense of unity in your hands. / Absolute stability, accuracy, and sense of unity of hooking / 5 Distribution and support of the optimal force by using the whole fingers / Ergonomic 3D design / Aluminum & anodizing surface treatment







SIZE 41 x 26 x 13.4mm

FS0070



MATERIAL Rubber **SIZE** 32 x 28 x 12.4mm



MATERIAL Plastic **SIZE** 36 x 28.3 x 12.3mm

PROTECTORS



WIND CHEST GUARD CG02BP

Ergonomic chest guard made of hard mesh and high quality HOOK AND LOOP.

SIZE XL, L, M, S TYPE RH













A2 CHEST GUARD CG001A2

Adjustable shoulder band / The secure button strap can be adjusted to size

SIZE L(From XL to M), M(From L to S), S(From M to XS) TYPE RH













ORGANIC X ARMGUARD AMX01

Lightweight and comfortable design / Durable plastic for better protection









ORGANIC WEB ARMGUARD AMOUNT

Lightweight and durable plastic armguard















HARNESS SILICON JELLY ARMGUARD AMH01

Accidental string contact with the Silicon Jelly Armguard minimizes unwanted vibration and repulsion during the shot while protecting the bow arm.











LIMB PROTECTOR AC21LP

New Design / Protects the tip of your shoes while holding the bow at rest.

SIZE 56 x 97mm MATERIAL Rubber

UNICO SERIES



UNICO BACK QUIVER QV01UNB

Elegantly crafted quiver made with artificial leather

WEIGHT 380g TYPE RH





UNICO QUIVER LARGE QV01UNL

SIZE Large WEIGHT 502g TYPE RH

Elegantly crafted quiver made with artificial leather



UNICO QUIVER SMALL QV01UNS

SIZE Small WEIGHT 418g TYPE RH



ACCENDO SERIES



ACCENDO BACK QUIVER QV02AB

Lightweight / Large pocket for accessories

WEIGHT 260g TYPE RH





ACCENDO TOURNAMENT QUIVER QV02AT

Lightweight / Large pocket for accessories

WEIGHT 630g TYPE RH









SHOOTING GEARS

AEGIS SERIES

AEGIS HARD CASE DOUBLE ABGHO1

High quality hard case / This model can hold up to two recurve bows and their accessories

SIZE 33 x 15 x 10" MATERIAL ABS+PC WEIGHT 8.4kg











AEGIS HARD CASE SINGLE BCH02

Lightweight / Strong against rough handling / Specially designed wheels / Showy colors / This model can hold up to one recurve bow and its accessories.

SIZE 32.5 x 12.6 x 7.5" MATERIAL ABS+PC WEIGHT 6.5kg

Recommended maximum weight: 23kg





SHOOTING GEARS

THUNDER-M

THUNDER-M COMPOUND CASE (DOUBLE) BCCTHM

Room for two compound bows

DIMENSION 15 x 45 x 12"

Recommended maximum weight: 23kg









TENTRON-M

TENTRON-M BACKPACK BCB02TM

Riser & Limbs case included / Arrow tube included SIZE 11.8 x 7.8 x 26.7" POCKET 1pcs WEIGHT 2.4kg













SHOOTING GEARS









PRO HAND POCKET STPRO1

SIZE 5 x 2.5 x 6" **WEIGHT** 80g



RISER & LIMBS CASE RLC01

SIZE 27 x 7.5 x 3" **WEIGHT** 800g



ARROW PULLER AC24PU Non-slip pattern ensures a strong grip



FIVICS ARROW TUBE





FOLDING CASE (2 LEVEL) BC2L01

EC04AT EC04AK

Includes compartments for risers, limbs, and accessories

SIZE 28.5 x 10.5 x 1.5" WEIGHT 900g





CLOTHES ACOSNV SIZE S / M / L / XXL / XXXL



CLOTHES ACOSWT

SIZE S / M / L / XL / XXL / XXXL







FIVICS LOGO SOCKS AC1750MN AC1750WN





CLOCK ACO4CL

SIZE 260 x 260 x 47mm



TARGET SCORE BOOK PAGO01

SIZE 85 x 130mm PAGE 20p COVER Hard



FIVICS UMBRELLA UMBL02

LENGTH 80cm OPENED SIZE 1m 20cm



TARGET FACE UMBRELLA UMBL01

LENGTH 1m OPENED SIZE 1m 60cm



STRETCH BAND LIGHT (YELLOW) AC03SL

Quality, natural rubber latex construction THICKNESS 0,35mm



STRETCH BAND HEAVY (GREEN) AC03SH

Quality, natural rubber latex construction THICKNESS 0.45mm



FIVICS LEAD TO VICTORY

World famous craftsmanship. Researched and tested to be the perfect target faces for competitions.

MATERIAL Polyester THICKNESS 0.29mm TENSILE STRENGHT(kg/cm2) L-40.0 / W - 17.0 TEMPERATURE RANGE -32 ~ 260°C PRINTING ERROR RANGE 99.9%(Best "quality")







PERFECT

Waterproof







OUTDOOR



122cm 10-Ring TARGET FACE PT001F

RANGE 90m / 70m / 60m MARK DIMENSION 122cm x 122cm TOTAL DIMENSION 125cm x 125cm (width/length)



80cm 10-Ring TARGET FACE PT002F

RANGE 50m / 30m MARK DIMENSION 80cm x 80cm TOTAL DIMENSION 83cm x 83cm (width/length)

IN/OUTDOOR



60cm 10-Ring TARGET FACE PT003F

RANGE 25m MARK DIMENSION 60cm x 60cm TOTAL DIMENSION 63cm x 63cm (width/length)

IN/OUTDOOR



40cm 10-Ring TARGET FACE PT004F

RANGE 18m MARK DIMENSION 40cm x 40cm TOTAL DIMENSION 43cm x 43cm (width/length)



48cm 6-Ring TARGET FACE PT007A

RANGE 50m MARK DIMENSION 48cm x 48cm TOTAL DIMENSION 51cm x 51cm (width/length)



48cm 6-Ring Triple TARGET FACE PT007A3

RANGE 50m MARK DIMENSION 48cm x 3spot TOTAL DIMENSION 99cm x 98.5cm (width/length)



48cm 6-Ring Quadruple TARGET FACE PT007A4

RANGE 50m MARK DIMENSION 48cm x 4spot TOTAL DIMENSION 102cm x 105cm (width/length)

INDOOR



20cm Vertical Recurve TARGET FACE

PT008F

RANGE 18m MARK DIMENSION 20cm x 3spot TOTAL DIMENSION 23cm x 67cm (width/length)



20cm Vertical Compound TARGET FACE

PT008C

RANGE 18m MARK DIMENSION 20cm x 3spot TOTAL DIMENSION 23cm x 67cm (width/length)




40cm 10-Ring Quadruple TARGET FACE PT009F

RANGE 18m MARK DIMENSION 40cm x 4spot TOTAL DIMENSION 93cm x 85cm (width/length)



20cm Triangular 3-Spot Quadruple TARGET FACE PT011F

RANGE 18m MARK DIMENSION 20cm x 12spot TOTAL DIMENSION 97cm x 85cm (width/length)



20cm Vertical 3-Spot Quadruple TARGET FACE PT010F

RANGE 18m MARK DIMENSION 20cm x 12spot TOTAL DIMENSION 103cm x 67cm (width/length)

TRAINING




Center-Spot (3ring) TARGET FACE PT012F

RANGE 50m / 30m / 20m MARK DIMENSION 24cm x 24cm TOTAL DIMENSION 32cm x 32cm (width/length)



Center-Spot (4ring) TARGET FACE PT013F

RANGE 90m / 70m / 60m MARK DIMENSION 48.8cm x 48.8cm TOTAL DIMENSION 61cm x 61cm (width/length)



TRAINING (12spot) TARGET FACE PT020F

MARK DIMENSION 52mm x 52mm Total dimension 282mm x 238mm (width/length)



TRAINING (12spot) TARGET FACE PT021F

MARK DIMENSION 48mm x 48mm TOTAL DIMENSION 250mm x 231mm (width/length)

FIELD




FIELD 80cm TARGET FACE PT014F

MARK DIMENSION 80cm x 80cm TOTAL DIMENSION 83cm x 83cm (width/length)



TARGET FACE PT015F

MARK DIMENSION 60cm × 60cm TOTAL DIMENSION 63cm × 63cm (width/length)



Field 40cm Quadruple TARGET FACE PT016F

MARK DIMENSION 40cm x 4spot TOTAL DIMENSION 93cm x 85cm (width/length)



EVERYONE CAN ENJOY ARCHERY

In April 2015, the FIVICS archery center was launched with a dream to allow anyone, including non-athletic people, to enjoy archery.

Now, we are making that dream a reality.

The new Krossen line allows us to say "Everyone can enjoy archery with top quality and beautifully designed equipment!".

In the past, beginners or intermediate archers did not much choice.

But now, that has changed.

We at FIVICS thrive to make more options for everyone who loves archery as we do.

XENIA

XENIA RISER HX0325

Only770grams / The lightest weight / Flawless coating / Showy color from painting / Perfect centroidal balance

PROCESSING Die Casting WEIGHT 770g MATERIAL Alloy Magnesium TYPE RH / LH GRIP Plastic COLOR Painted LENGTH 25"



XENIA WOOD LIMBS LXW03G XENIA FOAM LIMBS LXWO3F

Modern design / New designed tip part

MATERIAL Fiber Glass CORE Wood, Foam BOW LENGTH 66", 68", 70" DRAW WEIGHT(lbs.) 12#~28# (2# increments)

FIVICS limbs follow the international limb fitting system (ILF) and are guaranteed to fit in all FIVICS risers and others.



XENIA LONG STABILIZER STLO2L XENIA SIDE STABILIZER STLO2S XENIA EXTENDER STLO2E

XENIA STABILIZER effectively stacks General Modulus Carbon and Fiber Glass to provide the best elasticity and spine level for the beginner archer.

The Xenia Stabilizer excels for beginners since it diminishes vibrations using high quality materials and IIR rubber.

Refined design / Weight & damper included

MATERIAL Carbon Composite DIAMETE 17mm WEIGHT 116g(30"), 65g(12") LENGTH Long: 26", 28", 30" / Side: 10", 12" / Extender: 3", 4"(Aluminum)



XENIA V-BAR VBXE01

ANGLE 40



XENIA DAMPER XEDA01

THREAD 1/4"-20



DIAMETER 20mm WEIGHT Head-40g / Flat-26g THREAD 1/4"-20

















XENIA 2 CUSHION PLUNGER XENCPO2 NEW

Stable performance with upgraded internal components.

MATERIAL Aluminum THREAD 5/16"-24 SIZE 61.5mm



XENIA LEO CUSHION PLUNGER LEOCOT

Simple design with lighter weight

MATERIAL Aluminum THREAD 5/16"-24 SIZE 61.5mm



BOW STRING BUCKLE BS001

Suitable for many bow strings. The inner layer is composed of antiskid nylon to reduce wear on the bow string - 1set is including 2pcs



KP REST KP001

Simple design with strong material

MATERIAL Plastick SIZE 30 x 20mm TYPE RH / LH



THICKNESS 0.3 / 0.4mm





SIZE L / M / S (RH) LEATHER Cowhide



XENIA JM2 FINGER TAB JMF02A

SIZE L / M / S (RH) LEATHER Cowhide



SIZE L / M / S (RH) **LEATHER** Cowhide




FINGER PROTECTOR FR001

The size can be adjusted to any finger thickness MATERIAL Rubber









Easy fit adjustment

SIZE L, M, S TYPE RH / LH













FABRIC ARMGUARD (M) AMF1M



FABRIC ARMGUARD (L) AMF1L

HYPER SERIES



HYPER QUIVER XEQV01

420D & 600D combination of high quality material and fabric WEIGHT 460g





HYPER BACK QUIVER XEQV02

420D & 600D combination of high quality material and fabric **WEIGHT** 380g



HYPER RECURVE BACKPACK XEB01BB

Affordable recurve backpack with a modern sophisticated design

SIZE 34 x 75 x 15cm WEIGHT 920g

Increased stability from external shock with the application of thicker foam material,











KROSSEN

SPECIFICATIONS RISER

PRODUCT	LENGTH	WEIGHT	MATERIAL	PROCESSING	COLOR (Anodized)	
ADCON V	25"	1,330g	Aluminum(6061)	Full CNC	Dive Star Cropp Orange Bod Durale Black Silver	
ARGON-X (p.26)	27"	1,380g	Aluminum(6061)	Full CNC	Blue, Sky, Green, Orange, Red, Purple, Black, Silver	
TITAN-NX (p.24)	25"	1,230g	Aluminum(6061)	Full CNC	Blue, Sky, Orange, Red, Black, Silver	
TITALI PV	25"	1,330g	Aluminum(6061)	E. II CNC	Phys Clay Creek Orenze Bed Burnle Blade Cilina	
TITAN-EX (p.28)	27"	1,380g	Aluminum(6061)	Full CNC	Blue, Sky, Green, Orange, Red, Purple, Black, Silver	



PRODUCT	LENGTH	WEIGHT	MATERIAL	PROCESSING	COLOR (Anodized)	
VELLATOR-V3 (p.30)	25"	1,210g	Aluminum(6061)	Full CNC	Blue, Green, Orange, Red, Black, Silver	
VELLATOR-V2 (p.32)	23"	1,070g	Aluminum(6061)	Full CNC	Dive Core Organ Bed Blade City	
	25"	1,100g			Blue, Green, Orange, Red, Black, Silver	
SIRASONI (p.33)	17"	1,030g	Aluminum(6061)	Full CNC	Brown, Green, Khaki, Black	
XENIA (p.80)	25"	770g	Alloy Magnesium	Die Casting	Red, Blue, Black, White, Fluorescent Green	



SPECIFICATIONS LIMBS

PRODUCT	CORE	MATERIAL	DRAW WEIGHT (lbs.)	LENGTH
ADCON V (. 27)	WOOD	CWP3024 1K Full Carbon 32#~50#	22# 50#	66", 68", 70"
ARGON-X (p.27)	FOAM		32#~50#	
TITAN NV	WOOD	CMD3/0 3K F. II C-+	32#~50#	66", 68", 70"
TITAN-NX (p.25)	FOAM	CWP240 3K Full Carbon		
TITAN EV (- 20)	WOOD	CMID2/D 2K Full Conhon	32#~50#	66", 68", 70"
TITAN-EX (p.29)	FOAM	CWP240 3K Full Carbon		









FIVICS RECURVE BOW BRACE HEIGHT RANGE CHART

23" RISER - LONG LIMBS 22.5~23cm | MEDIUM LIMBS 22~22.5cm | SHORT LIMBS 21.5~22cm 25" RISER - LONG LIMBS 23~23.5cm | MEDIUM LIMBS 22.5~23cm | SHORT LIMBS 22~22.5cm 27" RISER - LONG LIMBS 23,5~24cm | MEDIUM LIMBS 23~23,5cm | SHORT LIMBS 22.5~23cm

TILLER HEIGHT: The distance from the base of the top limb to the string should be set 2-4mm greater than the bottom.

PRODUCT	CORE	MATERIAL	DRAW WEIGHT (lbs.)	LENGTH
VELLATOR (p.31)	WOOD	CUP240 UD Carbon	22#~38#	66", 68", 70"
VELLATOR (p.31)	FOAM			
SIRASONI (p.33)	WOOD	CWP240 3K Full Carbon	30#~55#	60", 62"
XENIA (p.80)	WOOD	Fiber Glass	12#~28#	66", 68", 70"
XENIA (p.80)	FOAM			







SIRASONI

LEAD TO VICTORY








www.fivics.com







FIVICS KOREA (HEAD OFFICE)

Address | 42, Gwonseon-ro 668beon-qil, Gwonseon-qu, Suwon-si, Gyeongqi-do, Korea, 16566

FIVICS CHINA (FACTORY)

Address I INDUSTRIAL PARK HOUGUZHEN ROAD XIAZHUANG CHENGYANG DIST QINGDAO CHINA

FIVICS USA (BRANCH) Address | Paloma St. Los Angeles, United States of America E-mail | teamusa@fivics.com



FIVICS BOW LIMITED LIFETIME WARRANTY

FIVICS recurve handles are guaranteed against manufacturing defects in materials and workmanship to the original owner for the life of the product. For more information visit us online at www.fivics.com

Note: At the time of production of our 2022 Product Guide, the bows, limbs, color options, and all other accessories shown, and the information contained, had been thoroughly checked for accuracy, However, in the event an error was made, FIVICS reserves the right to notify our dealers and customers at its discretion. Additionally, FIVICS reserves the rights to modify, change or discontinue products shown in this publication without notice.







FIVICS KOREA